



Statement of Line


*Clairmont brings sophistication with an elegant blend of form, curvilinear design, and comfort. Its generous size and contoured shell provide a high level of comfort to a wide range of users. The choice of arm style, upholstery detailing, and adjustability features allow Clairmont to fit many applications.*




**High Back with Enclosed Arms**  
Available with vertical stitching or button detailing.  
▶ See page 58 to specify.




**High Back with Open Arms**  
Available with vertical stitching or button detailing.  
▶ See page 58 to specify.



**Mid-Back with Enclosed Arms**  
Available with vertical stitching or button detailing.  
▶ See page 59 to specify.



**Mid-Back with Open Arms**  
Available with vertical stitching or button detailing.  
▶ See page 59 to specify.



**Side Chair with Open Arms**  
Available with vertical stitching or button detailing.  
▶ See page 60 to specify.

▶ See page

Finishes & Materials	211
Overview	56
Actual Dimensions	57

# Clairmont

## Overview

### Design Variations:



Vertical  
Stitching



Button  
Detailing

**Two different upholstery details** are available on Clairmont; both are available high back or mid-back models.

**Two different arm styles** are available on Clairmont desk chairs: enclosed arm and open arm.

### Options:

**Soft dual-wheel casters** should be specified for use on hard floors. Casters are black. Upcharge applies.




**Antique English hooded ball casters** are available. Upcharge applies.

**Outer back** is upholstered.

**Cushions** are CFC-free, contoured polyurethane foam.

**5-prong base** on desk chairs has a rigid, steel understructure. Maple hardwood base caps have a sloped profile.

**Black, hard dual-wheel casters** for use on carpeted floors are standard.



**Open arms** are upholstered separately and attached to the frame with metal brackets, T-nuts, and 1/4" diameter machine screws.

**Front of arms** are maple hardwoods with detailing to match the wood base caps.

**Waterfall front edge** slopes forward to reduce pressure and increase circulation in the user's legs.

### Features

**Shell on desk chairs** is single-shell construction fabricated with 9-ply molded plywood.

**Frame on side chairs** is kiln-dried maple hardwoods. Joints of back legs are double doweled and securely glued. Front legs use mortise and tenon joinery. For added strength, wood corner blocks and screws are used in conjunction with tie screws to reinforce frame corners.

**Seat suspension on side chairs** is constructed of unidirectional webbing

that is machine stretched across the open frame and stapled to the side rails.

**Cushions on desk chairs** are 3" thick on the seat and inside back and 1/4" thick on the outside back.

**Seat cushion on side chair** is 3 1/4" thick and is applied to the flexible webbing suspension.

**Back on side chairs** is constructed of webbing that is stretched and stapled to the chair frame. A 2" thick cushion, plus an additional inch of foam in the lumbar area, is applied to the flexible webbing suspension.

**Upholstery** is wrapped over cushions and secured with upholstery staples.

**Enclosed arms on desk chairs** are constructed with wood interior members. Arms are attached to the frame with metal brackets, T-nuts, and 1/4" diameter machine screws.

**Controls** are attached to the frame with T-nuts and machine screws.

**Nickel-plated glides** on side chairs are 7/8" in diameter.

### Adjustability Features:

	High Back	Mid- back
Knee tilt and upright back lock	•	•
Tilt tension	•	•
Swivel	•	•
Pneu. height	•	•
• standard		

**Knee tilt control** provides minimal rise of the front seat edge when reclining, allowing the user's feet to remain firmly on the floor. Back may be locked in a full upright position by pushing in pneumatic height adjustment lever. Recommended for users weighing 225 lbs. or less.

**Tilt tension control** adjusts the amount of resistance the user feels when leaning back.

**Pneumatic height adjustment** allows user to raise or lower the seat height with a control lever while seated. Upward movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

# Clairmont

## Actual Dimensions

### Side Chairs:



Model	20-5012V & 20-5012T
Height	38"
Width	25"
Depth	30"
Arm height	26"
Seat height	19"
Seat width	19 <sup>3</sup> / <sub>4</sub> "
Seat depth	19"
Kneespace	25"



**High Back  
with Enclosed Arms**



**High Back  
with Open Arms**



**Mid-Back  
with Enclosed Arms**



**Mid-Back  
with Open Arms**

### Knee Tilt Control

Model	20-2633V & 20-2633T	20-2613V & 20-2613T	20-2632V & 20-2632T	20-2612V & 20-2612T
Height	43"-48 <sup>1</sup> / <sub>4</sub> "	43"-48 <sup>1</sup> / <sub>4</sub> "	39"-44 <sup>1</sup> / <sub>4</sub> "	39"-44 <sup>1</sup> / <sub>4</sub> "
Width	27"	27"	27"	27"
Depth	29"	29"	29"	29"
Arm height	27"-32 <sup>1</sup> / <sub>4</sub> "	27"-32 <sup>1</sup> / <sub>4</sub> "	27"-32 <sup>1</sup> / <sub>4</sub> "	27"-32 <sup>1</sup> / <sub>4</sub> "
Seat height	18 <sup>1</sup> / <sub>4</sub> "-23 <sup>1</sup> / <sub>2</sub> "	18 <sup>1</sup> / <sub>4</sub> "-23 <sup>1</sup> / <sub>2</sub> "	18 <sup>1</sup> / <sub>4</sub> "-23 <sup>1</sup> / <sub>2</sub> "	18 <sup>1</sup> / <sub>4</sub> "-23 <sup>1</sup> / <sub>2</sub> "
Seat width	20"	20 <sup>3</sup> / <sub>4</sub> "	20"	20 <sup>3</sup> / <sub>4</sub> "
Seat depth	19"	19"	19"	19"
Kneespace	25"	25"	25"	25"


*Note: Illustrations show models with vertical stitching. Dimensions are the same for models with button detailing.*

# Clairmont

## High Back Desk Chairs

▶ See page

Finishes & Materials	211
COM/COL Yardage Req.	246
Alliance Program Pricing	61



### Kimball Office Upholstery Price Grade

Model 1 or COM 2 3 or COL 4 5 6 7 L7 L8

#### Enclosed Arms

##### Button Detailing

<b>20-2633T</b>	\$1692	\$1782	\$1838	\$1897	\$1977	\$2064	\$2151	\$2507	\$2709
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

##### Vertical Stitching

<b>20-2633V</b>	\$1692	\$1782	\$1838	\$1897	\$1977	\$2064	\$2151	\$2507	\$2709
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

#### Open Arms

##### Button Detailing

<b>20-2613T</b>	\$1606	\$1696	\$1752	\$1811	\$1891	\$1978	\$2065	\$2421	\$2623
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

##### Vertical Stitching

<b>20-2613V</b>	\$1606	\$1696	\$1752	\$1811	\$1891	\$1978	\$2065	\$2421	\$2623
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

### Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify <b>C4</b>	+\$23
Antique English hooded ball casters for use on hard floors	Specify <b>C44</b>	+\$23

### Specifying Tips:

- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.
- TB133 fire code treatment is available on select upholstery.
  - ▶ See page 219 for upholstery.
  - ▶ See page 255 for TB133 pricing.
  - ▶ See page 267 for COM or COL.
- Faux leather upholstery with TB133 option are not available on Clairmont enclosed arm models.

### How to Specify:

- Model
- Upholstery grade
- Upholstery number
- Finish price group:  
**STD** = Group 1
- Finish designator
- Casters:  
**C3** = Hard for wood base  
**C4** = Soft for wood base (+\$)  
**C44** = Antique English hooded ball (+\$)

Sample (base model underlined):

① ② ③ ④ ⑤  
20-2633V 2 20020 STD MC  
 ⑥  
 C3

# Clairmont

## Mid-Back Desk Chairs

▶ See page

Finishes & Materials	211
COM/COL Yardage Req.	246
Alliance Program Pricing	61



### Kimball Office Upholstery Price Grade

Model 1 or COM 2 3 or COL 4 5 6 7 L7 L8

#### Enclosed Arms

##### Button Detailing

<b>20-2632T</b>	\$1611	\$1695	\$1747	\$1802	\$1878	\$1959	\$2040	\$2374	\$2562
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

##### Vertical Stitching

<b>20-2632V</b>	\$1611	\$1695	\$1747	\$1802	\$1878	\$1959	\$2040	\$2374	\$2562
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

#### Open Arms

##### Button Detailing

<b>20-2612T</b>	\$1525	\$1609	\$1661	\$1716	\$1792	\$1873	\$1954	\$2288	\$2476
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

##### Vertical Stitching

<b>20-2612V</b>	\$1525	\$1609	\$1661	\$1716	\$1792	\$1873	\$1954	\$2288	\$2476
-----------------	--------	--------	--------	--------	--------	--------	--------	--------	--------

### Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify <b>C4</b>	+\$23
Antique English hooded ball casters for use on hard floors	Specify <b>C44</b>	+\$23

### Specifying Tips:

- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.
- TB133 fire code treatment is available on select upholstery.
  - ▶ See page 219 for upholstery.
  - ▶ See page 255 for TB133 pricing.
  - ▶ See page 267 for COM or COL.
- Faux leather upholstery with TB133 option are not available on Clairmont enclosed arm models.

### How to Specify:


- Model
- Upholstery grade
- Upholstery number
- Finish price group:  
**STD** = Group 1
- Finish designator
- Casters:  
**C3** = Hard for wood base  
**C4** = Soft for wood base (+\$)  
**C44** = Antique English hooded ball (+\$)

Sample (base model underlined):

① ② ③ ④ ⑤  
20-2632V 2 20020 STD MC  
 ⑥  
 C3

# Clairmont

## Side Chairs



**Kimball Office Upholstery Price Grade**

Model	1 or COM	2	3 or COL	4	5	6	7	L7	L8
<b>Open Arms</b>									
<i>Button Detailing</i>									
<b>20-5012T</b>	\$990	\$1080	\$1136	\$1195	\$1275	\$1362	\$1449	\$1805	\$2007
<i>Vertical Stitching</i>									
<b>20-5012V</b>	\$990	\$1080	\$1136	\$1195	\$1275	\$1362	\$1449	\$1805	\$2007

➤ See page

Finishes & Materials	211
COM/COL Yardage Req.	246
Alliance Program Pricing	61

### Specifying Tips:

- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.
- TB133 fire code treatment is available on select upholstery.
  - See page 219 for upholstery.
  - See page 255 for TB133 pricing.
  - See page 267 for COM or COL.

### How to Specify:

- ① Model
- ② Upholstery grade
- ③ Upholstery number
- ④ Finish price group:  
**STD** = Group 1
- ⑤ Finish designator

Sample (base model underlined):

① 20-5012V ② 2 ③ 20020 ④ STD ⑤ MC

## Clairmont

## with Alliance Program Upholstery

**IMPORTANT:** Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Model	Alliance Upholstery Price Grade									
	A	B	C	D	E	F	G	H	I	
	J	K	L	M	N	O	P	Q	R	
<b>20-2612T</b>	\$1653	\$1708	\$1757	\$1801	\$1856	\$1914	\$1951	\$2012	\$2070	
	2122	2212	2395	2511	2526	2555	2584	2613	2734	
<b>20-2612V</b>	1653	1708	1757	1801	1856	1914	1951	2012	2070	
	2122	2212	2395	2511	2526	2555	2584	2613	2734	
<b>20-2613T</b>	1742	1801	1854	1901	1959	2021	2062	2127	2189	
	2245	2341	2536	2660	2676	2707	2738	2769	2899	
<b>20-2613V</b>	1742	1801	1854	1901	1959	2021	2062	2127	2189	
	2245	2341	2536	2660	2676	2707	2738	2769	2899	
<b>20-2632T</b>	1739	1794	1843	1887	1942	2000	2037	2098	2156	
	2208	2298	2481	2597	2612	2641	2670	2699	2820	
<b>20-2632V</b>	1739	1794	1843	1887	1942	2000	2037	2098	2156	
	2208	2298	2481	2597	2612	2641	2670	2699	2820	
<b>20-2633T</b>	1828	1887	1940	1987	2045	2107	2148	2213	2275	
	2331	2427	2622	2746	2762	2793	2824	2855	2985	
<b>20-2633V</b>	1828	1887	1940	1987	2045	2107	2148	2213	2275	
	2331	2427	2622	2746	2762	2793	2824	2855	2985	
<b>20-5012T</b>	1126	1185	1238	1285	1343	1405	1446	1511	1573	
	1629	1725	1920	2044	2060	2091	2122	2153	2283	
<b>20-5012V</b>	1126	1185	1238	1285	1343	1405	1446	1511	1573	
	1629	1725	1920	2044	2060	2091	2122	2153	2283	

## Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify <b>C4</b>	+\$23
Antique English hooded ball casters for use on hard floors	Specify <b>C44</b>	+\$23

## Specifying Tips:

- Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.
- TB133 fire code treatment is available on select upholstery.  
▶ See page 267 for process overview.

## How to Specify:

- ① Model
- ② Alliance partner designator and upholstery grade:  
**CAR**[grade] = Carnegie  
**KNL**[grade] = KnollTextiles  
**MHM**[grade] = Maharam  
**MAF**[grade] = Mayer Fabrics
- ③ Upholstery number
- ④ Finish price group:  
**STD** = Group 1
- ⑤ Finish designator
- ⑥ Casters (omit for side chair):  
**C3** = Hard for wood base  
**C4** = Soft for wood base (+\$)  
**C44** = Antique English hooded ball (+\$)

Sample (base model underlined):

①      ②      ③  
20-2632V CARJ 6136\_10  
 ④   ⑤   ⑥  
 STD MC C3

# Clairmont