

Statement of Line

Skye chairs combine European precision with universal practicality for stunning good looks and comfort. Sleek web or leather pillow back, meticulous upholstery, and sculpted base give Skye an appealing, memorable appearance.



Web Back

▶ See page 144 to specify.



Web Back with Headrest

▶ See page 144 to specify.



Leather Pillow Back

▶ See page 145 to specify.



Leather Pillow Back with Headrest

▶ See page 145 to specify.

▶ See page

Finishes & Materials	211
Overview	142
Actual Dimensions	142

Overview

Options:



Large (75mm), hard dual-wheel casters are available for use on carpeted floors. Casters are black. Upcharge applies.

Soft dual-wheel casters should be specified for use on hard floors. Casters are black. Upcharge applies.

P2 pneumatic telescoping cylinder is available as an option for lower seat height requirements. P2 cylinder utilizes a lower profile base. Upcharge applies.

Integrated stretch webbing, on web back models, functions as a fluid back support and suspension.

Adjustable lumbar support, ergonomically designed, is integrated into all models and travels on the back center "spine" structure.

Standard cast aluminum base features a high profile aesthetic, available in black, platinum metallic, or polished aluminum.

Black, hard dual-wheel casters for use on carpeted floors are standard.


Features

Back frame is black and constructed of injection molded 30% glass-filled nylon. The two-part frame is joined together by twelve 4mm Torx head screws and attached to the seat carriage frame with four 6mm and two 8mm Torx head screws.

Pillow back model features 3/8" thick foam with leather slipcover-style upholstery attached over the top of the back webbing with snap fasteners.

Lumbar support is adjustable over a range of 4" in height (from 6" to 10" above the seat) and 3/4" in depth, and is covered with a 1" thick polyurethane foam pad. Height is adjusted by sliding the lumbar support up and down the spine. Depth is adjusted by turning the knob at the left end of the lumbar support (as seated).

Seat carriage frame consists of 3 die-cast aluminum support rails. Front support is attached to the two side support rails at a hinge point with an 8 mm Allen head bolt and fastener. Side support rails provide the arm attachment channels.



Headrest, on applicable models, is height adjustable over a range of 3 1/2", depth adjustable over a range of 3", and tilts 35°.

Arms are height adjustable over a 4" range. Push button mechanism allows arm to be moved then locked into place.

Cushions are CFC-free, molded polyurethane foam.

Seat and arms are constructed of 30% glass-filled injection molded nylon. The arms are secured to the chair with steel brackets and 6mm Torx head fasteners.

Seat cushions are 2" thick. Seamed slipcover type upholstery is sewn to plastic attachment clips that are snapped into slots located underneath the seat panel. Integrated attachment system allows for a clean transition.

Actual Dimensions:

Web Back

Height	40 3/4"-45 3/4"
Width	27 1/2"
Depth	25 3/4"
Arm height*	6 7/8"- 11 1/2"
Seat height	16 3/4"-21 3/4"
Seat width	20"
Seat depth	16"-17 3/4"
Kneespace	20"

Leather Pillow Back

Height	40 3/4"-45 3/4"
Width	27 1/2"
Depth	25 3/4"
Arm height*	7 1/8"- 11 1/2"
Seat height	16 3/4"-21 3/4"
Seat width	20"
Seat depth	15 1/2"-17 1/4"
Kneespace	20"

Note: Headrest not included in height. Seat height measurements are for chairs with standard pneumatic cylinder and casters. Large, hard dual-wheel casters will add 1 1/4" to the seat height.

For P2 pneumatic cylinder, deduct 1 1/4" from the low end of the seat height measurement and 3/4" from the high end.

** Arm height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Overview, continued

Arm caps are available in soft self-skinning molded urethane on webbed back models or leather wrapped with 3/8" thick urethane foam on pillow-back models. They are width adjustable in 3 positions over a 2.4" range and have a 46° pivot range. A locking push-button release allows arm caps to be adjusted side to side or pivot 23° inward or outward.

Patented synchro-tilt control offers fully synchronized seat-to-back recline with a 3:1 ratio. For every 3 degrees of back recline, the seat reclines 1 degree up to a maximum of 40 degrees of back recline and 13.3 degrees of seat recline.

Headrest is upholstered in 3679 Raven on web back models and in leather to match seat on leather pillow back models. It is height adjustable over a range of 3 1/2", depth adjustable over a range of 3", and tilts 35°.

Adjustability Features

Synchro-tilt	•
Four-zone tension	•
Seat depth	•
Forward seat tilt	•
Infinite position back lock	•
Lumbar support	•
Pneu. height	•

• = standard

Recline tension can be adjusted to one of 4 settings via a simple rotating knob located on the left-side of the chair (as seated in chair). While momentarily removing weight from the chair, simply turn the knob to the desired setting for instantaneous change of recline tension. The range accommodates users weighing from 110 to 265 lbs.

Adjustment graphics are easily read and easily understood.

Seat depth can be adjusted to one of 4 positions within a 2" range with a simple lever located under the front left side of the seat (as seated in chair).

Forward seat tilt can be adjusted into one of two positions within a 4 degree range independent of the synchro-tilt mechanism via a simple lever located under the front right side of the seat (as seated in chair).

Back lock adjusts infinitely via a lever located on the left side of the seat (as seated in the chair).

Seat height is adjusted pneumatically over a range of 5" from 16 3/4" to 21 3/4" or 15 1/2" to 21" (with an optional low height cylinder) via a lever located beneath the right front edge of the seat carriage frame.

Desk Chairs with Web Back



Kimball Office Upholstery Price Grade

Model	1 or COM	2	3 or COL	4	5	6	7	L7	L8
Without Headrest									
<i>Polished Aluminum</i>									
K29DA	\$1972	\$1995	\$2010	\$2025	\$2046	\$2068	\$2090	\$2182	\$2234
<i>Black</i>									
K29DB	\$1856	\$1879	\$1894	\$1909	\$1930	\$1952	\$1974	\$2066	\$2118
<i>Platinum Metallic</i>									
K29DP	\$1856	\$1879	\$1894	\$1909	\$1930	\$1952	\$1974	\$2066	\$2118
With Headrest									
<i>Polished Aluminum</i>									
K29HA	\$2050	\$2073	\$2088	\$2103	\$2124	\$2146	\$2168	\$2260	\$2312
<i>Black</i>									
K29HB	\$1930	\$1953	\$1968	\$1983	\$2004	\$2026	\$2048	\$2140	\$2192
<i>Platinum Metallic</i>									
K29HP	\$1930	\$1953	\$1968	\$1983	\$2004	\$2026	\$2048	\$2140	\$2192

Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify C4	+\$23
Large, hard dual-wheel casters for use on soft floors	Specify C7	+\$30
P2 pneumatic cylinder for lower seat heights	Specify P2 <i>Note: Available only on models with black or platinum metallic base.</i>	+\$83

▶ See page

Finishes & Materials	211
COM/COL Yardage Req.	249
Alliance Program Pricing	146

Specifying Tips:

- Large, hard dual-wheel casters will add 1¼" to the seat height.
- For P2 pneumatic cylinder, deduct 1¼" from the low-end of the seat height measurement and ¾" from the high-end.

How to Specify:

- ① Model
- ② Upholstery grade
- ③ Upholstery number
- ④ Pneumatic cylinder:
STD = Standard
P2 = Lower-height cylinder (+\$)
- ⑤ Casters:
C3 = Hard
C4 = Soft (+\$)
C7 = Large hard (+\$)

Sample (base model underlined):

① ② ③ ④ ⑤
K29DA 2 20020 STD C3

Skye

Desk Chairs with Leather Pillow Back

**Kimball Office Upholstery Price Grade**

Model	1 or COM	2	COL	4	5	6	7	L7	L8
Without Headrest									
<i>Polished Aluminum</i>									
K29EA	—	—	\$2481	—	—	—	—	\$2783	\$2874
<i>Black</i>									
K29EB	—	—	\$2364	—	—	—	—	\$2666	\$2757
<i>Platinum Metallic</i>									
K29EP	—	—	\$2364	—	—	—	—	\$2666	\$2757
With Headrest									
<i>Polished Aluminum</i>									
K29XA	—	—	\$2558	—	—	—	—	\$2860	\$2951
<i>Black</i>									
K29XB	—	—	\$2439	—	—	—	—	\$2741	\$2832
<i>Platinum Metallic</i>									
K29XP	—	—	\$2439	—	—	—	—	\$2741	\$2832

Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify C4	+\$23
Large, hard dual-wheel casters for use on soft floors	Specify C7	+\$30
P2 pneumatic cylinder for lower seat heights	Specify P2 <i>Note: Available only on models with black or platinum metallic base.</i>	+\$83

[▶ See page](#)

Finishes & Materials	211
COM/COL Yardage Req.	249
Alliance Program Pricing	146

Specifying Tips:

- Leather pillow-back models are only available in Kimball Office leather or COL.
- Leather on pillow back, wrapped arm caps, and headrest will match the seat leather.
- Large, hard dual-wheel casters will add 1¼" to the seat height.
- For P2 pneumatic cylinder, deduct 1¼" from the low-end of the seat height measurement and ¾" from the high-end.
- TB133 fire code treatment is available on select upholstery.
 - ▶ See page 219 for upholstery.
 - ▶ See page 260 for TB133 pricing.
 - ▶ See page 267 for COM or COL.

How to Specify:

- ① Model
- ② Upholstery grade
- ③ Upholstery number
- ④ Pneumatic cylinder:
 - STD** = Standard
 - P2** = Lower-height cylinder (+\$)
- ⑤ Casters:
 - C3** = Hard
 - C4** = Soft (+\$)
 - C7** = Large hard (+\$)

Sample (base model underlined):

① ② ③ ④ ⑤
K29EA L7 70115 STD C3

with Alliance Program Upholstery

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Alliance Upholstery Price Grade

Model	A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
Web Back									
K29DA	\$2007	\$2022	\$2036	\$2048	\$2063	\$2079	\$2090	\$2106	\$2122
	2137	2162	2212	2244	2248	2256	2264	2272	2306
K29DB	1891	1906	1920	1932	1947	1963	1974	1990	2006
	2021	2046	2096	2128	2132	2140	2148	2156	2190
K29DP	1891	1906	1920	1932	1947	1963	1974	1990	2006
	2021	2046	2096	2128	2132	2140	2148	2156	2190
K29HA	2085	2100	2114	2126	2141	2157	2168	2184	2200
	2215	2240	2290	2322	2326	2334	2342	2350	2384
K29HB	1965	1980	1994	2006	2021	2037	2048	2064	2080
	2095	2120	2170	2202	2206	2214	2222	2230	2264
K29HP	1965	1980	1994	2006	2021	2037	2048	2064	2080
	2095	2120	2170	2202	2206	2214	2222	2230	2264

Options:

Description	How to Specify	Add \$ to Price
Soft dual-wheel casters for use on hard floors	Specify C4	+\$23
Large, hard dual-wheel casters for use on soft floors	Specify C7	+\$30
P2 pneumatic cylinder for lower seat heights	Specify P2 <i>Note: Available only on models with black or platinum metallic base.</i>	+\$83

Specifying Tips:

- Leather pillow-back models are only available in Kimball Office leather or COL.
- Large, hard dual-wheel casters will add 1 1/4" to the seat height.
- For P2 pneumatic cylinder, deduct 1 1/4" from the low-end of the seat height measurement and 3/4" from the high-end.

How to Specify:

- ① Model
- ② Alliance partner designator and upholstery grade:
CAR[grade] = Carnegie
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
- ③ Upholstery number
- ④ Pneumatic cylinder:
STD = Standard
P2 = Lower-height cylinder (+\$)
- ⑤ Casters:
C3 = Hard
C4 = Soft (+\$)
C7 = Large hard (+\$)

Sample (base model underlined):

① ② ③
K29DB CARJ 6136_10
 ④ ⑤
 STD C3