

# Finishes & Materials

## Swatches and Samples:

**Samples of wood finishes, paints, and laminates** are available upon request.

**Kimball Office** carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

**Swatch cards and memo samples of fabrics** are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To place an order for swatches and samples visit:

**www.kimballoffice.com** on the web and order your materials electronically. If you do not have access to the Partner site, contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom.

## Table of Contents

	▶ See page
Program Overview	528
Finishes	
Vision Collection Wood Finishes	529
Special Wood Finishes	530
Wood Finish Care, Characteristics, and Maintenance	531
Paints, Plastic, and Polymer	532
Customer Specified Paint	534
Laminate	
Woodgrain, Solid, CSL	535
Pattern	536
Customer Specified Laminate	537
Thermofoil	538
Fabrics	
ACT Performance Icons	539
Fabric Application	541
Visions Collection Panel Fabrics	542
Vision Collection Upholstery Fabrics	546
Customer's Own Material (COM)	551
COM Yardage Requirements	553

# Finishes & Materials

## Discontinuation Policy:

**Kimball Office** strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

## Disclaimer:

**Kimball Office** will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

## Program Overview

### **Kimball Office offers a diverse collection of surface materials.**

Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

### Vision Collection Fabrics

**Our Vision Collection fabrics** offer a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

**The classic patterns** are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

**The Vision Collection** was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

**You will find that colors were developed** to coordinate very well between the in-line and alliance

offerings, as well as between the seating and panel fabric offerings.

**The Vision Collection** will provide options for the discerning client for many years to come.

### Vision Collection Woods

**The new wood finishes available in the Vision Collection** offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, the new finishes will add sophistication and beauty. These finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the new walnut or cherry finishes.

**Kimball Office carefully selects veneers and solid woods** to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

**The Vision Collection offers a number of light finishes** that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

**Darker finishes** can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

**Two surfaces with grain directions that are at different angles to a light source** will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

**Two premium veneers, Sapele and Zebrawood**, have been added to the standard offering to provide options for high impact styles without having to quote custom veneers. Zebrawood is a premium composite veneer. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

### Generations Collection

**The Generations Collection** is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support existing customers and to help transition you to the Vision Collection. [Visit kimballoffice.com](http://kimballoffice.com) to see the Generations Collection.

**IMPORTANT:** Materials in this collection should not be used to set standard color palettes for new installations.

**Materials in this offering** can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

# Finishes & Materials

## Visions Collection Wood Finishes

### Key:

● = Available color

### Kimball Office is known as the wood leader in the office furniture industry.

Exceeding our customer expectations has always been our goal.

**It is important** to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact **By Design** to review veneer options and discuss special quotes.

► See page 531 for program overview.

### Price Groups:

**STD** = Group 1 (list price)

**STD2** = Group 2 (20% upcharge)

	Cherry		Maple		Walnut		Sapele		Zebrawood				
	MC Amber	CC Cordoba	MH Mocha	SC Sedona	IM Brighton	TM Huntington	ES Espresso	MW Midtown	TW Tribeca	UW Urban	CS Coco*	SS Sienna*	CZ Clear*
Price Group	1	1	1	1	1	1	1	1	2	2	2		
<b>Cetra</b> Wood Panels & Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●
Top Caps, Glass Frames, Connectors, Trim	●	●	●	●	●	●	●	●	●	●	●	●	●
Doors	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Xsite</b> Wood Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●
Top Caps, Connectors, Trim, Doors	●	●	●	●	●	●	●	●	●	●	●	●	●
Glass, Pass-thru, Storage Tile Frames	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Footprint</b>													
1¾" Worksurfaces & Worksurface Rims	●	●	●	●	●	●	●	●	●	●	●	●	●
1⅞" Worksurfaces & Worksurface Rims	●	●	●	●	●	●	●	●	●	●	●	●	●
Transaction Counters for Cetra	●	●	●	●	●	●	●	●	●	●	●	●	●
Table Tops	●	●	●	●	●	●	●	●	●	●	●	●	●
Wood Support	●	●	●	●	●	●	●	●	●	●	●	●	●
Modesty Panels	●	●	●	●	●	●	●	●	●	●	●	●	●
Mobile Tables	●	●	●	●	●	●	●	●	●	●	●	●	●
Square Profile Storage	●	●	●	●	●	●	●	●	●	●	●	●	●
Radius Profile Storage	●	●	●	●	●	●	●	●	●	●	●	●	●
Flat Profile Wood Fronts	●	●	●	●	●	●	●	●	●	●	●	●	●
Bookcases	●	●	●	●	●	●	●	●	●	●	●	●	●
Filler Panels & Filler Strips	●	●	●	●	●	●	●	●	●	●	●	●	●
Finish Back Panels	●	●	●	●	●	●	●	●	●	●	●	●	●

\* Available early 2012.

Existing customers can find a listing of Generations wood finishes at [www.kimballooffice.com](http://www.kimballooffice.com)

# Finishes & Materials

## Pricing:

**A one-time fee of \$300 (net)** will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

**A 10% upcharge per line item (model)** for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

## Special Wood Finishes

**Previously developed and custom finishes** are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

**Samples of previously developed special finishes** are available from Customer Service upon request.

**Applicability of special finish colors** depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	Maple	Walnut	Sapele
Price Group	1	1	1	2
Cetra	•	•	•	•
Xsite	•	•	•	•
Footprint	•	•	•	•

• = standard wood species

*Note: Special finishes are not available on Zebra wood.*

## Custom Finish Approval Process:

- Send desired finish sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products and wood species to which the special finish is to be applied. **Include dealer name, contact, and project reference.**
- If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

**IMPORTANT:** Kimball Office reserves the right to decline the opportunity to match a finish color.

## How to Specify:

- Model:** Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.
- Finish type:** For the "Finish type" step, insert a special finish code (in place of STD):  
**ZCHY1** = Special cherry finish  
**ZMAP1** = Special maple finish  
**ZWAL1** = Special walnut finish  
**ZSAP1** = Special sapele finish  
*Note: Choose the special finish code based on the standard wood species used in the systems line (see matrix at left).*
- Finish designator:** For the "Finish designator" step, insert the designator provided to you by Customer Service.

Sample (base model underlined):

SS2424WSSW3 F ZWAL1  
 WA00554KOG 480

## Wood Finish Characteristics, Care and Maintenance

**Kimball Office's experience in wood finishing** extends from past generations of craftsmen to present day state-of-the-art technology.

**All exterior wood surfaces feature our new Pura® finish.**

Pura is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

**Cetra, Xsite, and Footprint wood surfaces** feature a semi-open pore finish with 50 sheen.

**All wood products** are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

**Grain characteristics of cherry veneer** such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

**Brighton maple** is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

**All walnut veneers** are flat cut and applied book and center matched.

**Maple and cherry veneers are slip matched.** However, there may be a slight difference in the color of adjacent leaves and perpendicular arrangements.

**Fine scratches from everyday use** may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

**Wood furniture is made of naturally variable raw materials.**

Differences in grain character, and color among wood species are naturally occurring variations and are not within the control of the manufacturer, nor considered defects.

**The beauty of wood** is that it is a natural product that will have differences in grain characteristics, color, and other features among wood species. For the majority of our customers, the characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

**Specification of particular cuts, characteristics, or wood species** can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

### To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- If using a protective glass top, always place spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

# Finishes & Materials

## Paints, Plastic, & Polymer

### Key:

- = Available color
- Ⓚ = Available on Kwik Office models

### Metallic:

**10% upcharge applies** for price group M metallic finishes.

*Note: Due to the reflective qualities of metallic paints, variations in color may occur.*

Price Group	Solid Colors																	Metallic											
	480	427	437	403	462	440	485	405	433	459	450	488	461	445	416	420	499	425	465	460	429	419	514	507	501	505	504		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M	M	M	M	M		
<b>Cetra</b>																													
Panel & Door Faces	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Painted Tiles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Floor-to-Ceiling Top Channel	•			•	•	•				•		•			•				•										
All other painted surfaces	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>Privacy Panel Frames</b>				•																									
<b>Xsite</b>																													
Door Faces	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
Painted Tiles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
All other painted surfaces	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>Interworks EQ</b>																													
Panel Frames & Wireway Covers	•Ⓚ			•Ⓚ	•Ⓚ	•Ⓚ	•	•			•Ⓚ	•Ⓚ			•Ⓚ	•			•Ⓚ										
Top Caps	•Ⓚ			•Ⓚ	•Ⓚ	•Ⓚ	•	•			•Ⓚ	•Ⓚ			•Ⓚ	•			•Ⓚ										
Panel Hinges	•Ⓚ			•Ⓚ	•Ⓚ	•Ⓚ	•	•			•Ⓚ	•Ⓚ			•Ⓚ	•			•Ⓚ										
Metal Tiles	•			•	•	•	•	•			•	•			•	•			•										
Glass Tile Frames	•			•	•	•	•	•			•	•			•	•			•										
All other painted surfaces	•			•	•	•	•	•			•	•			•	•			•										
<b>Traxx</b>	•Ⓚ	•	•	•Ⓚ	•Ⓚ	•Ⓚ	•	•	•	•	•Ⓚ	•	•Ⓚ	•	•	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•	•	•	•	•
End Trim & Trim Channels	•Ⓚ	•	•	•Ⓚ	•Ⓚ	•Ⓚ	•	•	•	•	•Ⓚ	•	•Ⓚ	•	•	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•	•	•	•	•
Worksurface Brackets				•																									
Brackets for Bevel Overheads	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Brackets for Lunar Overheads	•			•	•	•	•			•		•			•				•										
Brackets for all other Overheads				•																									
Spacers, Trim Caps, Slat Tiles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



## Pricing:

### A one-time fee of \$300 (net)

will be billed for the development of each new custom (customer specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

### A 10% upcharge per line item (model) for customer specified non-metallic paint

applies. Upcharge is calculated on the base price, before other option upcharges are added.

### A 20% upcharge per line item (model) for customer specified metallic paint

applies. Upcharge is calculated on the base price, before other option upcharges are added.

## Customer Specified Paint

### Customer Specified Paint (CSP)

is available on systems products that require specification of a paint color, with the exception of Interworks EQ panels and Lunar profile storage.

**Customer specified metallic paint** is not available on Xsite end trim and connector top caps.

### The process:

- ① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied.  
**Include dealer name, contact, and project reference.**
- ② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

**IMPORTANT:** Kimball Office reserves the right to decline the opportunity to match a paint color.

### How to Specify:

- ① **Model:**  
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
- ② **Finish type:**  
For the "Finish type" step, insert a special paint code ( in place of STD):  
**ZPNT1** = Special non-metallic paint  
**ZPNTM1** = Special metallic paint
- ③ **Finish designator:**  
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Sample (base model underlined):  
① 12S2415PUFFM E KRB ② ZPNT1  
③ MT02067KOG

# Finishes & Materials

## Laminates Woodgrain, Solid, and CSL

### Key:

- = Available color
- Ⓚ = Available on Kwik Office models

### Woodgrain:

**Woodgrain laminate** is a commercially compatible match to the wood finish of the same name and designator.

**Xsite tiles up to 57"W** are available in woodgrain laminate.

### CSL:

➤ See page 537 for customer specified laminate.

### Pattern:

➤ See page 536 for pattern laminates.

Price Group	Woodgrain										Solid										CSL			
	MC Amber Cherry	CC Cordoba Cherry*	MH Mocha Cherry*	SC Sedona Cherry*	IM Brighton Maple*	TM Harrington Maple*	MW Midtown Maple*	TW Tribeca Walnut*	UW Urban Walnut*	CZ Clear ZebraWood*	480 Antique White	403 Chamais	462 Cinder	440 Cloud	405 Designer White	488 Frosty White	461 Graphite	420 Putty	425 Sandstone	460 Shadow	460 Storm	419 Wallaby		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Interworks EQ Door											●	●	●	●	●	●		●		●		●		●
Xsite Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Footprint Worksurfaces	●	●	Ⓚ	●	●	●	●	●	●	●	●	Ⓚ	Ⓚ	●	Ⓚ	Ⓚ	●	Ⓚ	●	Ⓚ	●	Ⓚ	●	●
Transaction Counters & Soffits	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Table Tops & Mobile Table Tops	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Support Panels for use with Cetra	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Frstdng. Supports and Mod. Panels	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Decorative Leg Inserts	●	●	●	●	●	●	●	●	●	●														●
Square Profile Storage	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Radius Profile Storage Fronts											●	●	●	●	●	●	●	●	●	●	●	●	●	●
Radius Profile Storage Chassis											●	●	●	●	●	●	●	●	●	●	●	●	●	●
Curved Profile Storage Chassis											●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laminate Bookcases	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Filler Panels and Finish Back Panels	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Filler Strips	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

\* Available early 2012.

# Finishes & Materials

## Laminates Pattern

### Key:

- = Available color
- Ⓚ = Available on Kwik Office models

### CSL:

► See page 537 for customer specified laminate.

### Woodgrain & Solid:

► See page 535 for pattern laminates.

	Pattern																					
	874	842	828	841	862	844	849	851	850	852	843	846	812	860	808	807	873	805	809	802	814	
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Interworks EQ Door																						
Xsite Tiles	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Footprint Worksurfaces	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ⓚ	•	Ⓚ	•	•	•	•
Transaction Counters & Soffits	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Table Tops & Mobile Table Tops	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Support Panels for use with Cetra																						
Frstdng. Supports & Mod. Panels																						
Decorative Leg Inserts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Square Profile Storage																						
Radius Profile Storage Fronts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Radius Profile Storage Chassis																						
Curved Profile Storage Chassis																						
Laminate Bookcases																						
Filler Panels & Finish Back Panels																						
Filler Strips																						

## Finishes & Materials

### Pricing:

A **20% upcharge** applies to approved CSL orders for supplier standard laminates.

**Customer specified laminate (CSL)** is available on select laminate products.

►Contact your Customer Service Team to initiate approval.

**Kimball Office** reserves the right to decline a customer specified laminate which may not be suitable for application.

**Kimball Office** assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

**Metal, embossed, specialty, and supplier discontinued laminates** must be custom quoted.

►Contact **By Design** at 800.482.1616, extension 6001.

**Kimball Office orders and procures** all customer specified laminates.

**Laminate sheen level** must not exceed 60° for maximum durability of worksurfaces.

**Lead times** may vary for certain laminates. Minimum order quantities may apply.

**UL approved suppliers for Xsite tiles** are:

- Wilsonart
- Nevamar
- Lamitech
- Formica
- Pionite

### How to Specify:

- ① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.
- ② **Finish type:** For the “Finish type” step, insert a special finish code (in place of STD).  
**ZFMA1** = Formica  
**ZLMT1** = Lamin-Art  
**ZLTC1** = Lamitech  
**ZNEV1** = Nevamar  
**ZPTE1** = Pionite  
**ZWST1** = Wilsonart
- ③ **Finish designator:** For the “Finish designator” step, insert the laminate designator (pattern number) of the supplier's laminate to be applied to the product.

Sample (base model underlined):

①  
SS2424WSSL3 P

②  
 ZWST1

③  
 WST\_4814-60 462 462

# Finishes & Materials

## Thermofoil

### Key:

● = Available color

### Pricing:

**Upcharge** per model applies to price group 2 thermofolios.

➤ See applicable pricing pages.

	Woodgrain				Solid				Pattern		
	MH Mocha Cherry	CC Cordoba Cherry*	IM Brighton Maple*	MW Midtown Walnut*	480 Antique White	440 Cloud	405 Designer White	450 Fog	420 Sandstone	484 Cashmere Fiber	466 Concrete Fiber
Price Group	2	2	2	2	1	1	1	1	1	1	1
Sloped Rim Worksurfaces	●	●	●	●	●	●	●	●	●	●	●
Sloped Rim Table Tops	●	●	●	●	●	●	●	●	●	●	●

\* Available early 2012.

# Finishes & Materials

## What are ACT Icons:

**The Association for Contract Textiles (ACT)** has developed voluntary performance guidelines to make fabric specification easier. The five symbols give architects, designers, and end-users a vast amount of performance information in a succinct visual way. Look for these symbols on ACT member company sampling to assure that the fabrics you specify perform up to contract standards and pass all applicable testing.

**These categories describe a material's performance features** as measured by specified methods under standard laboratory conditions. All tests referenced here are intended to represent the most current version of a test method. *Note: Individual ACT member product information may represent a different version of a test method depending on the date the product was introduced to the market.*

**IMPORTANT:** These tests represent minimum requirements which are subject to change without notice and may not reflect requirements or laws in all locations.

## ACT Performance Icons

**All Kimball Office fabrics meet,** and in most cases exceed, the minimum requirements set up by ACT. For the purpose of uniformity in the industry, Kimball Office will be utilizing the ACT icons on swatchcards and related materials.

### Flammability



The measurement of a fabric's performance when it is exposed to specific sources of ignition. *Note: ACT guidelines specify different flammability tests dictated by the intended end use for the fabric.*

#### Upholstery

California Technical Bulletin #117 Section E—Class 1 (Pass)

#### Wrapped Panels and Upholstered Walls

ASTM E 84 (Unadhered Mounting Method)—Class A or Class 1

### Wet & Dry Crocking



Transfer of dye from the surface of a dyed or printed fabric onto another surface by rubbing.

#### Upholstery

AATCC 8                      Dry Crocking, Grade 4 minimum  
Wet Crocking, Grade 3 minimum

#### Wrapped Panels and Upholstered Walls

AATCC 8                      Dry Crocking, Grade 3 minimum  
Wet Crocking, Grade 3 minimum

### Colorfastness to Light



A material's degree of resistance to the fading effect of light.

#### Upholstery

AATCC 16 Option 1 or 3      Grade 4 minimum at 40 hours

#### Wrapped Panels and Upholstered Walls

AATCC 16 Option 1 or 3      Grade 4 minimum at 40 hours

### Physical Properties



Pilling is the formation of fuzzy balls of fiber on the surface of a fabric that remain attached to the fabric. Breaking strength is the measurement of stress exerted to pull a fabric apart under tension. Seam Slippage is the movement of yarns in a fabric that occurs when it is pulled apart at a seam.

#### Upholstery

Brush pill ASTM D3511, Class 3 minimum or  
Martindale Tester ASTM D4970, Class 3 minimum

Breaking strength ASTM D5034 (Grab Test)  
50 lbs. minimum in warp and weft

Seam slippage ASTM D4034  
25 lbs. minimum in warp and weft

#### Wrapped Panels and Upholstered Walls

Breaking strength ASTM D5034 (Grab Test)  
35 lbs. minimum in warp and weft

## ACT Performance Icons, *continued*

### Abrasion Resistance

The surface wear of a fabric caused by rubbing and contact with another fabric.



#### **General Contract Upholstery**

ASTM D4157 (ACT approved #10 Cotton Duck)  
15,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)  
20,000 cycles Martindale method



#### **Heavy Duty Upholstery**

ASTM D4157 (ACT approved #10 Cotton Duck)  
30,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)  
40,000 cycles Martindale method

End use examples of heavy-duty installations where upholstery fabrics rated at 30,000 double rubs should be appropriate are single shift corporate, hotel rooms/suites, conference rooms and dining area usage.

ACT acknowledges that there are extreme wear situations that may require higher levels of abrasion resistance. End use examples that may require higher than 30,000 double rubs include:

24 hour transportation terminals, 24 hour telemarketing, 24 hour healthcare emergency rooms, 24 hour casino gambling areas, and such public gathering places as theatres, stadiums, lecture halls and fast food restaurants.


It is strongly suggested that double rubs exceeding 100,000 are not meaningful in providing additional value in use. Higher abrasion resistance does not necessarily indicate a significant extension of the service life of the fabric.

The Wyzenbeek and Martindale tests are the two methods commonly used to predict wear-ability. Actual performance is determined by many factors such as fiber content, weaves, finishes, furniture design, maintenance, cleaning, and usage. Durability of an upholstery fabric is a complex interaction (combination) of a number of performance tests that, in addition to abrasion, includes seam slippage, pilling, tensile strength, and usage.

There is no correlation between the Wyzenbeek and Martindale tests so it is not possible to estimate the number of cycles that would be achieved on one test if the results from the other test were known.


## Fabric Application

### Standard Application



**Directional fabrics are “cut up the roll”** for standard application unless specified differently.

### Railroad Application



**All fabrics will be applied in railroad (horizontal) fashion to Xsite tiles and larger-size tackboards.** When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on Xsite tiles.  
➤ See pricing pages for product application.

**Railroad application of Kimball Office panel fabrics and COM requires a custom quote** for all systems products that do not have railroading listed as an option in the price list.

➤ Please contact **By Design**.

# Finishes & Materials

## Visions Collection Panel Fabrics

### Cut Yardage Program:

**All Kimball Office panel fabrics** are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	List Price per yard
A	\$34
B	45
C	51
D	69
E*	105

### How to Specify:

- ① Model: **KOPNLCUTYDG** = panel fabric
- ② Fabric grade
- ③ Fabric number

\*For cut yardage of Grade E Alliance fabrics, contact our partner directly:

**Carnegie**  
800.727.6770  
www.carnegiefabrics.com

**KnollTextiles**  
866.565.5858  
www.knolltextiles.com

Note: Interworks EQ is only available in price grades A and B fabrics.

### Price Grade A

**COM** (Customer's Own Material)

### Crossroads

Price Grade: **A**  
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester  
Backing: Light acrylic  
Pattern: Directional  
Repeat: 7.5"H x 14.285"V  
Cleaning: WS  
Restriction: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

### Fusion

Price Grade: **A**  
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester  
Pattern: Directional  
Repeat: 0.0" H x 1.212" V  
Cleaning: S

16101	Ice
16102	Midas
16103	Patina
16104	Taupestone 
16105	Mineral 
16106	Nickel 
16107	Bronze
16109	Tanzanite 
16110	Platinum 
16111	Quartz 
16112	Hematite

### Mykel


Price Grade: **A**  
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester  
Backing: Light acrylic  
Pattern: Directional  
Repeat: 0"H x 21.025"V  
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

### Key:

-  = Available on Kwik Office models
-  See page 544 for description.

### Sprite

Price Grade: **A**  
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester   
Pattern: Directional  
Repeat: 0.26"H x 0.83"V  
Cleaning: WS  
Restriction: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

### Tapestry


Price Grade: **A**  
Content: 60% pre-consumer recycled polyester, 40% polypropylene  
Pattern: Directional  
Repeat: None  
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling

# Finishes & Materials

## Visions Collection Panel Fabrics, continued

Key:

 See page 544 for description.

### Cleaning Fabrics:

#### Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

#### Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

#### Cleaning Code W

- Use water-based cleaning agents or foam.

#### Cleaning Code D

- Dry clean only.

### Directional Fabrics:

**Fabric alignment** for directional fabrics may vary slightly from panel to panel.

### Price Grade B

#### Absolute

Price Grade: **B**  
 Content: 62.42% post-industrial recycled polyester, 37.58% pre-consumer recycled polyester  
 Backing: Light acrylic  
 Pattern: Directional  
 Repeat: 0"H x 0.222"V  
 Cleaning: WS  
 Restriction: Not available on fabric-covered overheads

10480	Dusk
10481	Fennel
10482	Flax
10483	Greystone
10484	Mercury
10485	Pecan
10486	Seaglass
10487	Slate

#### Basket

Price Grade: **B**  
 Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester  
 Pattern: Directional  
 Repeat: None  
 Cleaning: WS  
 Restriction: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

#### Frenzied

Price Grade: **B**  
 Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester  
 Backing: Light acrylic  
 Pattern: Directional  
 Repeat: .130"H x 0"V  
 Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

#### Fuse

Price Grade: **B**  
 Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester  
 Pattern: Directional  
 Repeat: 14, 12"H x 8.57"V  
 Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10324	Pear
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

# Finishes & Materials

## Swatches:

**Swatch cards and memo samples of Kimball Office upholstery** are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order swatches:

- Visit our web site at [www.kimballoffice.com](http://www.kimballoffice.com) to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom

## Warranty Info:

**Fabrics and leathers** are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

► See page 569 for complete warranty information.

# Visions Collection Panel Fabrics, continued

## Price Grade B, continued

### Linen

Price Grade: **B**  
 Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester  
 Pattern: Directional  
 Repeat: 16.75"H x 20"V  
 Cleaning: WS

2202	Wrought Iron	
2216	Paraffin	
2222	Twine	
2229	Thunder	
2239	Spun Gold	
2240	Wasabi	
2244	Titanium	
2250	Truffle	
2266	Copper	
2275	Melba	

### Rivulet

Price Grade: **B**  
 Content: 100% post-consumer recycled polyester  
 Pattern: Directional  
 Repeat: 16.7"H x 20.2"V  
 Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

### Savile

Price Grade: **B**  
 Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester  
 Pattern: Directional  
 Repeat: 15"H x 0.909"V  
 Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

### Serengeti

Price Grade: **B**  
 Content: 100% post-consumer recycled polyester  
 Pattern: Directional  
 Repeat: 16.3"H x 18"V  
 Cleaning: WS


10380	Champagne
10381	Cobblestone
10382	Desert
10383	Mist
10384	Taupestone
10385	Timberwolf

### Thicket

Price Grade: **B**  
 Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester  
 Pattern: Directional  
 Repeat: 16.9"H x 12.5"V  
 Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

## Key:

 = Available on Kwik Office models



**Terratex** is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.



## Green-e

100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.

► [www.green-e.org](http://www.green-e.org)

# Finishes & Materials

## Alliance Partners:

### Carnegie

800.727.6770  
www.carnegiefabrics.com

### KnollTextiles

866.565.5858  
www.knolltextiles.com


## Fabric Samples:

**For memo samples of Alliance fabrics,** contact our alliance partners directly.

# Visions Collection Panel Fabrics, continued

## Price Grade B, continued

### Woodland

Price Grade: **B**  
Content: 100% post-consumer recycled polyester   
Pattern: Directional  
Repeat: 16.3"H x 11.4"V  
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

## Price Grade C

No fabrics available in price grade C at this time.

## Price Grade D

No fabrics available in price grade D at this time.

## Flexboard Fabrics

2913	Charcoal Grey
2914	Natural Linen

## Price Grade E

### Alliance Fabrics:

**Kimball Office has formed partnerships with top textile companies** in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

**IMPORTANT:** Orders cannot be cancelled for alliance program fabrics.

**Lead times for alliance fabrics are based on supplier availability.** Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. **>Contact Customer Service for availability before finalizing orders.**

The information provided in this section is the most current information available at the time this price list was printed.

**Application** of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

## Align

Carnegie

Price Grade: **E**  
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester  
Pattern: Directional  
Repeat: 17.00"H x 11.00"V  
Cleaning: WS

Kimball Office Number	Carnegie Number
5258_40	40
5258_42	42
5258_43	43
5258_44	44


## Circle Line

KnollTextiles

Price Grade: **E**  
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester  
Pattern: Directional  
Repeat: 08.25"H x 05.25"V  
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

## Key:

 See page 544 for description.

## Photon

KnollTextiles

Price Grade: **E**  
Content: 55% post-consumer recycled polyester, 45% polyester  
Pattern: Directional  
Repeat: 00.50"H x 00.25"V  
Cleaning: WS

W1293_4	Ore
W1293_5	Mulsin
W1293_6	Pewter
W1293_7	Alum
W1293_8	Volcano
W1293_9	Graphite
W1293_10	Electrum
W1293_11	Limonite
W1293_12	Crystalline
W1293_13	Curry
W1293_14	Cochineal

## Reflect

KnollTextiles

Price Grade: **E**  
Content: 100% recycled polyester  
Pattern: Directional  
Repeat: None  
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

# Finishes & Materials

## Cut Yardage:

**Kimball Office upholstery** is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Price Grade	List Price per yard	
1	\$34	
2	51	
3	68	
4	88	
5	115	
6	154	
7	196	

Leather Grade	List Price per	List Price per
	Half Hide (25-28 sq ft)	Full Hide (50-57 sq ft)
L7	\$516	\$1059
L8	612	1261

### How to Specify:

- ① Model number:  
**KOUPHCUTYDG** = fabric or faux leather  
**KOLTHRFHIDE** = leather (full hide)  
**KOLTHRHIDE** = leather (half hide)
- ② Upholstery grade
- ③ Upholstery number

# Vision Collection Upholstery Fabrics

Applies to:

- Cushion-top pedestals
- Bevel profile overhead fronts
- Bevel profile highback organizer fronts
- Bevel profile highback tackboards
- Interworks EQ panel-mounted tackboards

➤ See the Seating Price List for Alliance program fabrics; most are available on the items listed above with only a few restrictions.

## Price Grade 1

**COM** (Customer's Own Material)

### Lifesaver

Price Grade: **1**  
 Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester  
 Finish: Scotchguard®  
 Width: 54"W  
 Repeat: .625"H x .625"V  
 Abrasion: **A** 40,000 double rubs  
 Cleaning: WS

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

## Seasons

Price Grade: **1**  
 Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester  
 Width: 54"W  
 Repeat: 4"H x 1.7"V  
 Abrasion: **A** 50,000 double rubs  
 Cleaning: WS  
 Restrictions: Not available on Approach

10980	Almond
10981	Espresso
10982	Fern
10983	Honeycomb
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate


## Soundbyte

Price Grade: **1**  
 Content: 100% recycled polyester  
 Finish: Scotchguard®  
 Width: 54"W  
 Repeat: 7"H x 35"V  
 Abrasion: **A** 30,000 double rubs  
 Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

## COM & Cut Yardage GSA Non-Contract

### Key:

-  ➤ See page 544 for description.  
**A** = Heavy duty upholstery  
**a** = General contract upholstery

## Price Grade 2

### Flicker

Price Grade: **2**  
 Content: 78% post-industrial recycled polyester, 22% post-consumer recycled polyester  
 Width: 54"W  
 Repeat: .84"H x 2.5"V  
 Abrasion: **A** 51,000 double rubs  
 Cleaning: WS

11130	Parchment
11131	Cherry
11132	Magenta
11133	Ruby
11134	Sangria
11135	Sunset
11136	Celery
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11142	Plum
11143	Riviera

# Finishes & Materials

## Vision Collection Upholstery Fabrics, continued

### Key:

- A** = Heavy duty upholstery
- = General contract upholstery

### Cleaning Fabrics:

#### Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

#### Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.
- ▶ See swatch card for additional cleaning information.

#### Cleaning Code W

- Use water-based cleaning agents or foam.

#### Fire Retardant Fabrics

- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

### Price Grade 2, continued

#### Legacy (faux leather)

Price Grade: **2**  
 Content: 100% polyurethane  
 Backing: Brushed, woven poly/cotton  
 Width: 54"W  
 Repeat: None  
 Abrasion: **A** 200,000+ double rubs  
 Cleaning: WS; cleanable with diluted bleach solution  
 TB133: Not Available

11230	Pewter
11231	Blue Steel
11232	Cinnamon
11233	Brite Red
11234	Deep Purple
11235	Deep Blue
11236	Cranberry
11237	Royal
11238	Pale Green
11239	Terra Cotta
11240	Burnt Orange
11241	Chocolate
11242	Mustard
11243	Slate
11244	Black
11245	Silk
11246	Med. Beige
11247	White
11248	Chiffon
11249	Eggshell
11250	Greener Pastures
11251	Cream
11252	Fossil
11253	Forest

### Mingle

Price Grade: **2**  
 Content: 100% Eco-Intelligent® polyester  
 Width: 54"W  
 Repeat: .08"H x .12"V  
 Abrasion: **A** 100,000 double rubs  
 Cleaning: WS  
 Restrictions: Not available on Approach

11000	Basket
11001	Capri
11002	Checkered Flag
11003	Cobalt
11004	Concord
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

### Spectrum

Price Grade: **2**  
 Content: 100% pre-consumer recycled polyester  
 Finish: Blockaide™  
 Backing: SBR latex  
 Width: 54"W  
 Repeat: None  
 Abrasion: **A** 100,000+ double rubs  
 Cleaning: WS

20001	Mimosa
20003	Lime
20011	Sand
20015	Marigold
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20069	Grape
20072	Breeze
20079	Tangerine
20081	Charcoal
20084	Royal
20095	Red

# Finishes & Materials



**Terratex** is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.



**Green-e**  
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.

► [www.green-e.org](http://www.green-e.org)

## Vision Collection Upholstery Fabrics, continued

### Price Grade 2, continued

#### Tikki

Price Grade: **2**  
Content: 61.11% rayon, 38.89% polyester  
Backing: Acrylic  
Width: 58"W  
Repeat: 1.25"H x 2.313"V  
Abrasion: **A** 40,000 double rubs  
Cleaning: S  
TB133: Not available



11100	Andiron
11101	Anise
11102	Blue Jay
11103	Brandywine
11104	Green Tea
11105	Gumdrop
11106	Lemon Zest
11107	Marina
11108	Mesquite
11109	Night
11110	Pear
11111	Raspberry
11112	Satchel
11113	Tumbleweed

#### Tinseltown

Price Grade: **2**  
Content: 56.39% post-industrial recycled polyester, 43.61% post-consumer recycled polyester  
Width: 60"W  
Repeat: 1.5"H x .461"V  
Abrasion: **A** 60,000 double rubs  
Cleaning: WS

11160	Black Velvet
11161	Red Red Wine
11162	Sunset Strip
11163	Money for Nothing
11164	Purple Rain
11165	Thunder Island
11166	Midnight Blue
11167	Brown Sugar
11168	Jungle Love
11169	Forever in Blue Jeans

#### Twilight

Price Grade: **2**  
Content: 100% pre-consumer recycled polyester; Green-e certified   
Finish: Blockaide™   
Width: 54"W  
Repeat: None  
Abrasion: **A** 50,000 double rubs  
Cleaning: WS

23101	Ocean
23102	Teal
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23107	Aristocrat
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23112	Chartreuse
23113	Luxe
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23118	Gingerbread
23119	Tangerine
23120	Nude

### Key:

- A** = Heavy duty upholstery
- = General contract upholstery

### Price Grade 3

**COL** (Customer's Own Leather)

#### Botan


Price Grade: **3**  
Content: 66.29% post-industrial recycled polyester, 33.71% post-consumer recycled polyester  
Width: 59"W  
Repeat: 3.688"H x 2.5"V  
Abrasion: **A** 60,000 double rubs  
Cleaning: WS

11400	Basket
11401	Blackbird
11402	Caribbean
11403	Charcoal
11404	Cider
11405	Clam
11406	Copper
11407	Pony
11408	Shoreline
11409	Sun

# Finishes & Materials

## Vision Collection Upholstery Fabrics, continued

### Key:

 See page 544 for description.

**A** = Heavy duty upholstery

**□** = General contract upholstery

### Swatches:

**Swatch cards and memo samples of Kimball Office upholstery** are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order swatches:

- Visit the Partner web site at [www.kimballoffice.com](http://www.kimballoffice.com) to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom

### Warranty Info:

**Fabrics and leathers** are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

▶ See page 569 for complete warranty information.

### Price Grade 3, continued

#### Fiji

Price Grade: **3**  
 Content: 57% Eco-Intelligent® polyester, 38% post-industrial recycled polyester, 5% post-consumer recycled polyester  
 Width: 54"W  
 Repeat: 13.5"H x 21.7"V  
 Abrasion: **□** 21,000 double rubs  
 Cleaning: WS  
 Restrictions: Not available on Approach

11280	Amethyst
11281	Ash
11282	Cardinal
11283	Chino
11284	Dove
11285	Espresso
11286	Onyx
11287	Saffron
11288	Sapphire
11289	Spring
11290	Sunset

### Price Grade 4

#### Ezra

Price Grade: **4**  
 Content: 42.35% rayon, 41.48% cotton, 12.77% polyester, 1.75% post-industrial recycled polyester, .95% post-consumer recycled polyester, .7% nylon  
 Backing: Acrylic  
 Width: 55"W  
 Repeat: None  
 Abrasion: **A** 60,000 double rubs  
 Cleaning: S  
 Restriction: Not available on fabric-covered overheads  
 TB133: Not available

11460	Bamboo
11461	Black Pearl
11462	Cayenne
11463	Copper
11464	Denim
11465	Ebony
11466	Ecru
11467	Granny Smith
11468	Lagoon
11469	Latte
11470	Orchid
11471	Red
11472	Saddle
11473	Shoreline
11474	Timberwolf

### Rueben

Price Grade: **4**  
 Content: 56.79% bamboo, 26.24% post-industrial recycled polyester, 10.41% rayon, 6.56% post-consumer recycled polyester  
 Width: 57"W  
 Repeat: 15.00"H x 6.06"V  
 Abrasion: **A** 60,000 double rubs  
 Cleaning: S  
 TB133: Not available

11430	Blackberry
11431	Bordeaux
11432	Brass
11433	Cardinal
11434	Clam
11435	Jonquil
11436	Moss
11437	Ocean Blue
11438	Raven
11439	Seaglass

### Silvertex

Price Grade: **4**  
 Content: 60% vinyl, 30% polyester Hi-Loft<sup>2</sup>™ textile, 10% urethane SILVERGUARD®/PERMABLOK<sup>3</sup>®  
 Finish: Polyester Hi-Loft<sup>2</sup>™  
 Backing: 54"W  
 Width: 54"W  
 Repeat: None  
 Abrasion: **A** 100,000+ double rubs  
 Cleaning: WS, cleanable with diluted bleach solution

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle

# Finishes & Materials

## Cleaning Leather:

### Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

### Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

**Leather is a natural product.** Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

*Note: Never use furniture polishes, oils, solvents, varnishes, abrasive cleaners, ammonia, wax, or saddle soaps on leather.*

## Vision Collection Upholstery Fabrics, continued

### Price Grade 5

No fabrics available in price grade 5 at this time.

### Price Grade 6

#### Essence/Ultraleather™

Price Grade: **6**  
 Content: 100% polyurethane  
 Backing: 100% reinforced rayon  
 Width: 54"W  
 Repeat: None  
 Abrasion: **A** 400,000 double rubs  
 Cleaning: WS, cleanable with diluted bleach solution  
 Restrictions: Not available on Approach

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

### Price Grade 7

No fabrics available in price grade 7 at this time.

### Price Grade L7

#### Davenport

Price Grade: **L7**  
 Content: Top grain leather  
 Abrasion: **A** 1,000+ cycles (Tabor Test)

70101	Chamois
70102	Camel
70103	Earthy
70105	Bark
70106	Fennel
70107	Glass Block
70108	Celadon
70109	Austin
70110	Olive
70111	Brown
70112	Atlantis
70113	Yonder
70114	Tomato
70115	Black
70116	Plum
70117	Smoke
70118	Dusk

## Key:

- A** = Heavy duty upholstery
- = General contract upholstery

### Price Grade L8

#### Heritage

Price Grade: **L8**  
 Content: Top grain leather; two-toned savagé  
 Abrasion: **A** 1,000+ cycles (Tabor Test)

81002	Carnelian
81005	Corob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

#### Showcase

Price Grade: **L8**  
 Content: Full grain leather; chrome-free  
 Abrasion: **A** 1,000+ cycles (Tabor Test)

80101	Sky
80102	Butler
80103	Cream
80104	Bonton
80105	Greige
80106	Power
80107	Garnet
80108	Chestnut
80109	Bittersweet
80110	Jet

## Finishes & Materials

## Customer's Own Material (COM)

### COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

**IMPORTANT:** Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

### COM Application Testing

**Application testing** on systems product for non-preapproved fabrics is required.

► Contact your Customer Service Team for the appropriate forms to initiate application testing.

**The application test** will render your fabric either:

- Approved
- Not recommended
- Restricted

**A "not recommended" result** is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

### U.L. Listing/Flammability

**COM must be U.L. listed** on Cetra, Xsite, and Interworks EQ panels before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Kimball Office Systems

Finishes & Materials

### Yardage/Measurements

**Directional and non-directional yardage requirements** have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

**If your fabric is less than 66"W**, some size restrictions may apply.

**COM yardage** listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

### Shipment of COM

**After the fabric** has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

### Where to ship COM:

#### Kimball Office, Jasper

COM Department—Kimball Office  
Dock 11  
1620 Cherry Street  
Jasper, IN 47549

*Applies to:*

- Cetra panels
- Tackboards compatible with Cetra
- Cable managers compatible with Cetra

#### Kimball Office, Post Falls

COM Department—Kimball Office  
1881 West Seltice Way  
Post Falls, ID 83854

*Applies to:*

- Interworks EQ panels
- Tiles compatible with Cetra, Interworks EQ, Xsite, or Conferencing Solutions
- Tackboards compatible with Interworks EQ
- Cable managers compatible with Interworks EQ and Xsite
- Flat profile cushion-top pedestals
- Bevel profile overheads
- Bevel profile highback organizers
- Bevel profile highback tackboards

### Production of Order

**When COM production yardage is received**, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

**A return tag** (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

### Preapproved COM

► Contact your Customer Service Team to obtain information on preapproved COMs.

## Finishes & Materials

### Customer's Own Material (COM), continued

#### Repeat Fabrics

**It is Kimball Office standard process** to match repeat fabrics on fabric covered Overhead and Highback Organizer doors.

**Repeat fabrics** will be matched in what Kimball Office deems the best possible application of the pattern.

**Additional COM yardage** is required for repeat fabrics.

<i>Repeat</i>	<i>Additional Yardage required per Overhead Door</i>
0–6"	None
6"–12"	0.166 yards
12"–18"	0.500 yards
18"–24"	0.666 yards
24" or more	1.000 yard

*Note: If the customer requires that the repeat fabric be applied in a random fashion, Kimball Office requires written notification in advance of order processing to that effect.*

➤ Contact your Customer Service Team to obtain necessary waiver.

**When ordering COM** for Kimball Office products, please make sure you have done the following:

- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

# Finishes & Materials

## How to Use this Table:

- ① Locate the model number
- ② Select yardage from the appropriate column.
- ③ Review repeat fabric information, if applicable. Additional yardage may be required.

**If you specify different panel fabrics** for opposite sides of a panel, additional yardage may be required.  
 ▶Contact Customer Care.

**If COM fabric is to be "railroaded,"** contact Customer Care for yardage requirements.

▶See page 551 for COM policy and additional information.

## COM Yardage Requirements

**Kimball Office has analyzed each model** to most accurately reflect the yardage requirements.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
<b>Cetra</b>				AP6050A	2.8	N.A.	2.8	<b>Mid-Wireway Panels</b>			
<b>Acoustical Panels</b>				AP1856A	1.6	1.6	1.3	AP1842M	1.2	1.2	1.2
AP1830A	0.9	0.9	0.9	AP2456A	1.6	3.2	1.6	AP2442M	1.2	2.4	1.2
AP2430A	0.9	1.8	0.9	AP3056A	1.6	3.2	1.6	AP3042M	1.2	2.4	1.2
AP3030A	0.9	1.8	0.9	AP3656A	3.2	3.2	2.3	AP3642M	2.4	2.4	2.4
AP3630A	1.8	1.8	1.8	AP4256A	3.2	3.2	2.6	AP4242M	2.4	2.4	2.4
AP4230A	1.8	1.8	1.8	AP4856A	3.2	3.2	2.9	AP4842M	2.4	2.4	2.4
AP4830A	1.8	1.8	1.8	AP6056A	3.2	N.A.	3.2	AP6042M	2.4	N.A.	2.4
AP6030A	1.8	N.A.	1.8	AP1861A	1.7	1.7	1.3	AP1850M	1.4	1.4	1.3
AP1837A	1.1	1.1	1.1	AP2461A	1.7	3.4	1.6	AP2450M	1.4	2.8	1.4
AP2437A	1.1	2.1	1.1	AP3061A	1.7	3.4	1.7	AP3050M	1.4	2.8	1.4
AP3037A	1.1	2.1	1.1	AP3661A	3.4	3.4	2.3	AP3650M	2.8	2.8	2.3
AP3637A	2.1	2.1	2.1	AP4261A	3.4	3.4	2.6	AP4250M	2.8	2.8	2.6
AP4237A	2.1	2.1	2.1	AP4861A	3.4	3.4	2.9	AP4850M	2.8	2.8	2.8
AP4837A	2.1	2.1	2.1	AP6061A	3.4	N.A.	3.4	AP6050M	2.8	N.A.	2.8
AP6037A	2.1	N.A.	2.1	AP1868A	1.9	1.9	1.3	AP1856M	1.6	1.6	1.3
AP1842A	1.2	1.2	1.2	AP2468A	1.9	3.8	1.6	AP2456M	1.6	3.2	1.6
AP2442A	1.2	2.4	1.2	AP3068A	1.9	3.8	1.9	AP3056M	1.6	3.2	1.6
AP3042A	1.2	2.4	1.2	AP3668A	3.8	3.8	2.3	AP3656M	3.2	3.2	2.3
AP3642A	2.4	2.4	2.4	AP4268A	3.8	3.8	2.6	AP4256M	3.2	3.2	2.6
AP4242A	2.4	2.4	2.4	AP4868A	3.8	3.8	2.9	AP4856M	3.2	3.2	2.9
AP4842A	2.4	2.4	2.4	AP6068A	3.8	N.A.	3.6	AP6056M	3.2	N.A.	3.2
AP6042A	2.4	N.A.	2.4	AP1880A	2.3	2.3	2.3	AP1861M	1.7	1.7	1.3
AP1850A	1.4	1.4	1.4	AP2480A	2.3	4.5	2.3	AP2461M	1.7	3.4	1.6
AP2450A	1.4	2.8	1.4	AP3080A	2.3	4.5	2.3	AP3061M	1.7	3.4	1.7
AP3050A	1.4	2.8	1.4	AP3680A	4.5	4.5	4.5	AP3661M	3.4	3.4	2.3
AP3650A	2.8	2.8	2.3	AP4280A	4.5	4.5	4.5	AP4261M	3.4	3.4	2.6
AP4250A	2.8	2.8	2.6	AP4880A	4.5	4.5	4.5	AP4861M	3.4	3.4	2.9
AP4850A	2.8	2.8	2.8	AP6080A	4.5	N.A.	4.5	AP6061M	3.4	N.A.	3.4
								AP1868M	1.9	1.9	1.3

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
AP2468M	1.9	3.8	1.6	AP3050	1.5	1.5	0.9	AP0661	1.8	1.8	0.9
AP3068M	1.9	3.8	1.9	AP3650	1.5	1.5	1.2	AP0668	2.2	2.2	2
AP3668M	3.8	3.8	2.3	AP4250	1.5	1.5	1.3	AP0680	2.4	2.4	2.4
AP4268M	3.8	3.8	2.6	AP4850	1.5	1.5	1.4	<b>Combination Starter Panels</b>			
AP4868M	3.8	3.8	2.9	AP1856	1.6	1.6	0.6	AP0630	1.0	1.0	0.5
AP6068M	3.8	N.A.	3.6	AP2456	1.6	1.6	0.8	AP0637	1.2	1.2	0.5
AP1880M	2.3	2.3	2.3	AP3056	1.6	1.6	0.9	AP0642	1.2	1.2	0.5
AP2480M	2.3	4.5	2.3	AP3656	1.6	1.6	1.2	AP0650	1.4	1.4	0.5
AP3080M	2.3	4.5	2.3	AP4256	1.6	1.6	1.4	AP0656	1.6	1.6	0.5
AP3680M	4.5	4.5	4.5	AP4856	1.6	1.6	1.5	AP0661	1.7	1.7	0.5
AP4280M	4.5	4.5	4.5	AP1861	1.7	1.7	0.6	AP0668	2.0	2.0	1.9
AP4880M	4.5	4.5	4.5	AP2461	1.7	1.7	0.8	AP0680	2.3	2.3	2.2
AP6080M	4.5	N.A.	4.5	AP3061	1.7	1.7	0.9	<b>Fabric Curved Panels</b>			
<b>Combination Panels</b>				AP3661	1.7	1.7	1.1	APR330	2.2	N.A.	2.2
AP1830	0.9	0.9	0.6	AP4261	1.7	1.7	1.3	APR337	2.3	N.A.	2.3
AP2430	0.9	0.9	0.8	AP4861	1.7	1.7	1.5	APR342	2.4	N.A.	2.4
AP3030	0.9	0.9	0.9	AP1868	1.9	1.9	0.6	APR350	2.8	N.A.	2.8
AP3630	0.9	0.9	0.9	AP2468	1.9	1.9	0.8	APR356	3.3	N.A.	3.3
AP4230	0.9	0.9	0.9	AP3068	1.9	1.9	1	APR361	3.4	N.A.	3.4
AP4830	0.9	0.9	0.9	AP3668	1.9	1.9	1.1	APR368	3.8	N.A.	3.8
AP1837	1.0	1.0	0.6	AP4268	1.9	1.9	1.3	APR380	4.5	N.A.	4.5
AP2437	1.0	1.0	0.8	AP4868	1.9	1.9	1.5	<b>Combination</b>			
AP3037	1.0	1.0	0.9	AP1880	2.3	2.3	2.3	APR330	1.1	N.A.	1.1
AP3637	1.0	1.0	1.0	AP2480	2.3	2.3	2.3	APR337	1.2	N.A.	1.2
AP4237	1.0	1.0	1.0	AP3080	2.3	2.3	2.3	APR342	1.2	N.A.	1.2
AP4837	1.1	1.0	1.1	AP3680	2.3	2.3	2.3	APR350	1.4	N.A.	1.4
AP1842	1.2	1.2	0.6	AP4280	2.3	2.3	2.3	APR356	1.7	N.A.	1.7
AP2442	1.2	1.2	0.8	AP4880	2.3	2.3	2.3	APR361	1.7	N.A.	1.7
AP3042	1.2	1.2	0.9	<b>Fabric Starter Panels</b>				APR368	1.9	N.A.	1.9
AP3642	1.2	1.2	1.1	AP0630	1.2	1.2	0.6	APR380	2.3	N.A.	2.2
AP4242	1.2	1.2	1.2	AP0637	1.2	1.2	0.9				
AP4842	1.2	1.2	1.2	AP0642	1.2	1.2	0.9				
AP1850	1.5	1.5	0.6	AP0650	1.4	1.4	0.9				
AP2450	1.5	1.5	0.8	AP0656	1.6	1.6	0.9				

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
<b>Full Glass Panels</b>				<b>Panel Insert Tiles</b>				ACM37N	1.1	1.1	0.3
APR361G	1.7	1.7	1.2	AI1807N	0.4	0.4	0.4	ACM42N	1.2	1.2	0.3
APR368G	1.9	1.9	1.2	AI2407N	0.4	0.4	0.4	ACM50N	1.4	1.4	0.3
APR380G	2.2	2.2	2.2	AI3007N	0.4	0.4	0.4	ACM56N	1.6	1.6	0.3
AP2461G	0.7	0.7	0.7	AI3607N	0.4	0.4	0.4	ACM61N	1.7	1.7	0.3
AP3061G	0.8	0.8	0.7	AI4207N	0.4	0.4	0.4	ACM68N	1.9	1.9	0.3
AP3661G	0.9	0.9	0.8	AI4807N	0.4	0.4	0.4	ACM80N	2.3	2.3	2.3
AP2468G	0.7	0.7	0.7	AI1812N	0.5	0.5	0.5	ACR30N	0.8	0.8	0.3
AP3068G	0.8	0.8	0.7	AI2412N	0.5	0.5	0.5	ACR37N	1.1	1.1	0.3
AP3668G	0.9	0.9	0.8	AI3012N	0.5	0.5	0.5	ACR42N	1.2	1.2	0.3
AP2480G	0.8	0.8	0.8	AI3612N	0.5	0.5	0.5	ACR50N	1.4	1.4	0.3
AP3080G	0.9	0.9	0.8	AI4212N	0.5	0.5	0.5	ACR56N	1.6	1.6	0.3
AP3680G	1.0	1.0	0.9	AI4812N	0.5	0.5	0.5	ACR61N	1.7	1.7	0.3
<b>Partial Glass Panels</b>				AI1819N	0.7	0.7	0.7	ACR68N	1.9	1.9	0.3
AP3061H	0.9	2.0	0.9	AI2419N	0.7	0.7	0.7	ACR80N	2.3	2.3	2.3
AP3661H	2.0	2.0	2.0	AI3019N	0.7	0.7	0.7	ACS30N	0.8	0.8	0.3
AP4261H	2.0	2.0	2.0	AI3619N	0.7	0.7	0.7	ACS37N	1.1	1.1	0.3
AP3068H	0.9	2.0	0.9	AI4219N	0.7	0.7	0.7	ACS42N	1.2	1.2	0.3
AP3668H	2.0	2.0	2.0	AI4819N	0.7	0.7	0.7	ACS50N	1.4	1.4	0.3
AP4268H	2.0	2.0	2.0	AI1824N	0.9	0.9	0.9	ACS56N	1.6	1.6	0.3
<i>Note: When using COM on partial glass panels that have a fabric frame, add 1.20 yards of fabric to the yardage figures above.</i>				AI2424N	0.9	0.9	0.9	ACS61N	1.7	1.7	0.3
<b>Ceiling Power Entry Panels</b>				AI3024N	0.9	0.9	0.9	ACS68N	1.9	1.9	0.3
AP3068V	1.9	3.8	1.9	AI3624N	0.9	0.9	0.9	ACS80N	2.3	2.3	2.3
AP3668V	3.8	3.8	2.3	AI4224N	0.9	0.9	0.9	ACT30N	0.8	0.8	0.3
AP3080V	2.2	4.4	2.2	AI4824N	0.9	0.9	0.9	ACT37N	1.1	1.1	0.3
AP3680V	4.4	4.4	4.4	<b>Directional Connectors</b>				ACT42N	1.2	1.2	0.3
AP4268V	3.8	3.8	2.6	ACL30N	0.8	0.8	0.3	ACT50N	1.4	1.4	0.3
AP4868V	3.8	3.8	2.9	ACL37N	1.1	1.1	0.3	ACT56N	1.6	1.6	0.3
AP4280V	4.5	4.5	4.5	ACL42N	1.2	1.2	0.3	ACT61N	1.7	1.7	0.3
AP4880V	4.5	4.5	4.5	ACL50N	1.4	1.4	0.3	ACT68N	1.9	1.9	0.3
				ACL56N	1.6	1.6	0.3	ACT80N	2.3	2.3	2.3
				ACL61N	1.7	1.7	0.3	ACV30N	0.8	0.8	0.3
				ACL68N	1.9	1.9	0.3	ACV37N	1.1	1.1	0.3
				ACL80N	2.3	2.3	2.3	ACV42N	1.2	1.2	0.3
				ACM30N	0.8	0.8	0.3	ACV50N	1.4	1.4	0.3

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
ACV56N	1.6	1.6	0.3	AP1819AS	0.7	0.7	0.7	<b>Stackable Glass Panels</b>			
ACV61N	1.7	1.7	0.3	AP2419AS	0.7	1.3	0.7	AP1812G	0.7	0.7	0.7
ACV68N	1.9	1.9	0.3	AP3019AS	1.3	1.3	1.0	AP2412G	0.7	0.7	0.7
ACV80N	2.3	2.3	2.3	AP3619AS	1.3	1.3	1.2	AP3012G	0.7	0.7	0.7
ACW30N	0.8	0.8	0.3	AP4219AS	1.3	1.3	1.3	AP3612G	0.9	0.9	0.9
ACW37N	1.1	1.1	0.3	AP4819AS	1.3	1.3	1.3	AP4212G	0.9	0.9	0.9
ACW42N	1.2	1.2	0.3	AP6019AS	1.3	1.3	1.8	AP4812G	0.9	0.9	0.9
ACW50N	1.4	1.4	0.3	<b>Stackable Combination Panels</b>				AP1819G	0.8	0.8	0.8
ACW56N	1.6	1.6	0.3	AP1807CS	0.3	0.3	0.3	AP2419G	0.8	0.8	0.8
ACW61N	1.7	1.7	0.3	AP2407CS	0.3	0.3	0.3	AP3019G	0.8	0.8	0.8
ACW68N	1.9	1.9	0.3	AP3007CS	0.3	0.3	0.3	AP3619G	1.1	1.1	1.1
ACW80N	2.3	2.3	2.3	AP3607CS	0.3	0.3	0.3	AP4219G	1.1	1.1	1.1
ACY30N	0.8	0.8	0.3	AP4207CS	0.3	0.3	0.3	AP4819G	1.1	1.1	1.1
ACY37N	1.1	1.1	0.3	AP4807CS	0.3	0.3	0.3	<b>Stackable Ceiling Power Entry Panels</b>			
ACY42N	1.2	1.2	0.3	AP1812CS	0.5	0.5	0.5	AP3007VS	0.7	0.7	0.7
ACY50N	1.4	1.4	0.3	AP2412CS	0.5	0.5	0.5	AP3607VS	0.7	0.7	0.7
ACY56N	1.6	1.6	0.3	AP3012CS	0.5	0.5	0.5	AP4207VS	0.7	0.7	0.7
ACY61N	1.7	1.7	0.3	AP3612CS	0.5	0.5	0.5	AP4807VS	0.7	0.7	0.7
ACY68N	1.9	1.9	0.3	AP4212CS	0.5	0.5	0.5	AP3012VS	0.9	0.9	0.9
ACY80N	2.3	2.3	2.3	AP4812CS	0.5	0.5	0.5	AP3612VS	0.9	0.9	0.9
<b>Stackable Acoustical Panels</b>				AP1819CS	0.7	0.7	0.7	AP4212VS	0.9	0.9	0.9
AP1807AS	0.3	0.3	0.3	AP2419CS	0.7	0.7	0.7	AP4812VS	0.9	0.9	0.9
AP2407AS	0.3	0.7	0.3	AP3019CS	0.7	0.7	0.7	AP3019VS	1.3	1.3	1.0
AP3007AS	0.7	0.7	0.7	AP3619CS	0.7	0.7	0.7	AP3619VS	1.3	1.3	1.2
AP3607AS	0.7	0.7	0.7	AP4219CS	0.7	0.7	0.7	AP4219VS	1.3	1.3	1.3
AP4207AS	0.7	0.7	0.7	AP4819CS	0.7	0.7	0.7	AP4819VS	1.3	1.3	1.3
AP4807AS	0.7	0.7	0.7	<b>Stackable Directional Connectors</b>				ACL07N	0.2	0.2	0.2
AP6007AS	0.7	0.7	0.7	ACL12N	0.4	0.4	0.3	ACL14N	0.4	0.4	0.3
AP1812AS	0.5	0.5	0.5	ACL19N	0.6	0.6	0.3	ACL24N	0.7	0.7	0.3
AP2412AS	0.5	0.9	0.5	ACL24N	0.7	0.7	0.3	ACL26N	0.8	0.8	0.3
AP3012AS	0.9	0.9	0.9	ACL26N	0.8	0.8	0.3	ACL31N	0.9	0.9	0.3
AP3612AS	0.9	0.9	0.9	ACL31N	0.9	0.9	0.3				
AP4212AS	0.9	0.9	0.9								
AP4812AS	0.9	0.9	0.9								
AP6012AS	0.9	0.9	0.9								

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
ACL38N	1.1	1.1	0.3	ACW14N	0.4	0.4	0.4	ACV26N	0.8	0.8	0.3
ACR07N	0.2	0.2	0.2	ACW19N	0.6	0.6	0.4	ACV31N	0.9	0.9	0.3
ACR12N	0.4	0.4	0.3	ACW24N	0.7	0.7	0.4	ACV38N	1.1	1.1	0.3
ACR14N	0.4	0.4	0.3	ACW26N	0.8	0.8	0.4	ACV07C	0.2	0.2	0.2
ACR19N	0.6	0.6	0.3	ACW31N	0.9	0.9	0.4	ACV12C	0.4	0.4	0.3
ACR24N	0.7	0.7	0.3	ACW38N	1.1	1.1	0.4	ACV14C	0.4	0.4	0.3
ACR26N	0.8	0.8	0.3	ACW07C	0.2	0.2	0.2	ACV19C	0.6	0.6	0.3
ACR31N	0.9	0.9	0.3	ACW12C	0.4	0.4	0.4	ACV24C	0.7	0.7	0.3
ACR38N	1.1	1.1	0.3	ACW14C	0.4	0.4	0.4	ACV26C	0.8	0.8	0.3
ACT07N	0.2	0.2	0.2	ACW19C	0.6	0.6	0.4	ACV31C	0.9	0.9	0.3
ACT12N	0.4	0.4	0.3	ACW24C	0.7	0.7	0.4	ACV38C	1.1	1.1	0.3
ACT14N	0.4	0.4	0.3	ACW26C	0.8	0.8	0.4				
ACT19N	0.6	0.6	0.3	ACW31C	0.9	0.9	0.4				
ACT24N	0.7	0.7	0.3	ACW38C	1.1	1.1	0.4				
ACT26N	0.8	0.8	0.3	ACS07N	0.2	0.2	0.2				
ACT31N	0.9	0.9	0.3	ACS12N	0.4	0.4	0.3				
ACT38N	1.1	1.1	0.3	ACS14N	0.4	0.4	0.3				
ACM07N	0.2	0.2	0.2	ACS19N	0.6	0.6	0.3				
ACM12N	0.4	0.4	0.2	ACS24N	0.7	0.7	0.3				
ACM14N	0.4	0.4	0.2	ACS26N	0.8	0.8	0.3				
ACM19N	0.6	0.6	0.2	ACS31N	0.9	0.9	0.3				
ACM24N	0.7	0.7	0.2	ACS38N	1.1	1.1	0.3				
ACM26N	0.8	0.8	0.2	ACS07C	0.2	0.2	0.2				
ACM31N	0.9	0.9	0.2	ACS12C	0.4	0.4	0.3				
ACM38N	1.1	1.1	0.2	ACS14C	0.4	0.4	0.3				
ACM07C	0.2	0.2	0.2	ACS19C	0.6	0.6	0.3				
ACM12C	0.4	0.4	0.2	ACS24C	0.7	0.7	0.3				
ACM14C	0.4	0.4	0.2	ACS26C	0.8	0.8	0.3				
ACM19C	0.6	0.6	0.2	ACS31C	0.9	0.9	0.3				
ACM24C	0.7	0.7	0.2	ACS38C	1.1	1.1	0.3				
ACM26C	0.8	0.8	0.2	ACV07N	0.2	0.2	0.2				
ACM31C	0.9	0.9	0.2	ACV12N	0.4	0.4	0.3				
ACM38C	1.1	1.1	0.2	ACV14N	0.4	0.4	0.3				
ACW07N	0.2	0.2	0.2	ACV19N	0.6	0.6	0.3				
ACW12N	0.4	0.4	0.4	ACV24N	0.7	0.7	0.3				

### Xsite Tiles

#### .5H Tackable Acoustic

36P18H06ITASC	0.6	0.6	0.6
36P24H06ITASC	0.8	0.8	0.8
36P30H06ITASC	1.0	1.0	1.0
36P33H06ITASC	1.1	1.1	1.1
36P36H06ITASC	1.2	1.2	1.2
36P39H06ITASC	1.2	1.2	1.2
36P42H06ITASC	1.3	1.3	1.3
36P48H06ITASC	1.5	1.5	1.5
36P54H06ITASC	1.7	1.7	1.7
36P60H06ITASC	1.8	1.8	1.8
36P66H06ITASC	2.0	2.0	2.0
36P72H06ITASC	2.2	2.2	2.2
36P78H06ITASC	2.3	2.3	2.3
36P84H06ITASC	2.5	2.5	2.5
36P90H06ITASC	2.7	2.7	2.7
36P96H06ITASC	2.8	2.8	2.8



# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
<b>Interworks EQ</b>				11P4262A	3.7	3.7	3.7	11P1866SFFFF	4.2	4.2	4.2
<b>Standard Panels</b>				11P4266A	3.9	3.9	3.9	11P1866SFFMF	3.7	3.7	3.7
11P1834A	2.2	2.2	2.2	11P4280A	4.7	4.7	4.7	11P1866SGFFF	3.0	3.0	3.0
11P1842A	2.5	2.5	2.5	11P4834A	2.2	2.2	2.2	11P1866SGFMF	2.5	2.5	2.5
11P1848A	3.0	3.0	3.0	11P4842A	2.5	2.5	2.5	11P1866SGGFF	0.5	0.5	0.5
11P1854A	3.2	3.2	3.2	11P4848A	3.0	3.0	3.0	11P1866SGGMF	1.5	1.5	1.5
11P1862A	3.7	3.7	3.7	11P4854A	3.2	3.2	3.2	11P1880SFFFFF	4.2	4.2	4.2
11P1866A	3.9	3.9	3.9	11P4862A	3.7	3.7	3.7	11P1880SFFFMF	3.7	3.7	3.7
11P1880A	4.7	4.7	4.7	11P4866A	3.9	3.9	3.9	11P1880SGFFFF	4.2	4.2	4.2
11P2434A	2.2	2.2	2.2	11P4880A	4.7	4.7	4.7	11P1880SGFFMF	3.7	3.7	3.7
11P2442A	2.5	2.5	2.5	11P6034A	2.0	2.0	2.0	11P1880SGGFFF	3.0	3.0	3.0
11P2448A	1.5	1.5	1.5	11P6042A	2.5	2.5	2.5	11P1880SGGFMF	2.5	2.5	2.5
11P2454A	3.2	3.2	3.2	11P6048A	3.0	3.0	3.0	11P1880SGGGFF	1.5	1.5	1.5
11P2462A	3.7	3.7	3.7	11P6054A	3.2	3.2	3.2	11P1880SGGGMF	1.5	1.5	1.5
11P2466A	3.9	3.9	3.9	11P6062A	3.7	3.7	3.7	11P2434SFF	2.0	2.0	2.0
11P2480A	4.7	4.7	4.7	11P6066A	3.9	3.9	3.9	11P2442SFFF	2.7	2.7	2.7
11P3034A	2.2	2.2	2.2	<b>Sectional Panels</b>				11P2442SFFMF	2.2	2.2	2.2
11P3042A	2.5	2.5	2.5	11P1834SFF	2.0	2.0	2.0	11P2442SFWF	2.2	2.2	2.2
11P3048A	3.0	3.0	3.0	11P1842SFFF	2.7	2.7	2.7	11P2448SFFF	3.0	3.0	3.0
11P3054A	3.2	3.2	3.2	11P1842SFMF	2.2	2.2	2.2	11P2448SFMF	2.5	2.5	2.5
11P3062A	3.7	3.7	3.7	11P1848SFFF	3.0	3.0	3.0	11P2448SFWF	2.5	2.5	2.5
11P3066A	3.9	3.9	3.9	11P1848SFMF	2.5	2.5	2.5	11P2448SGFF	2.0	2.0	2.0
11P3080A	4.7	4.7	4.7	11P1848SGFF	2.0	2.0	2.0	11P2448SGMF	1.5	1.5	1.5
11P3634A	2.2	2.2	2.2	11P1848SGMF	1.5	1.5	1.5	11P2448SGWF	1.5	1.5	1.5
11P3642A	2.5	2.5	2.5	11P1854SFFF	3.3	3.3	3.3	11P2454SFFF	3.3	3.3	3.3
11P3648A	3.0	3.0	3.0	11P1854SFMF	2.8	2.8	2.8	11P2454SFMF	2.8	2.8	2.8
11P3654A	3.2	3.2	3.2	11P1854SGFF	2.0	2.0	2.0	11P2454SFWF	2.8	2.8	2.8
11P3662A	3.7	3.7	3.7	11P1854SGMF	1.5	1.5	1.5	11P2454SGFF	2.0	2.0	2.0
11P3666A	3.9	3.9	3.9	11P1862SFFFF	3.0	3.0	3.0	11P2454SGMF	1.5	1.5	1.5
11P3680A	4.7	4.7	4.7	11P1862SFFMF	1.0	1.0	1.0	11P2454SGWF	1.5	1.5	1.5
11P4234A	2.2	2.2	2.2	11P1862SGFFF	3.0	3.0	3.0	11P2462SFFFF	3.0	3.0	3.0
11P4242A	2.5	2.5	2.5	11P1862SGFMF	2.5	2.5	2.5	11P2462SFFMF	2.5	2.5	2.5
11P4248A	3.0	3.0	3.0	11P1862SGGFF	2.0	2.0	2.0	11P2462SFFMF	3.4	3.4	3.4
11P4254A	3.2	3.2	3.2	11P1862SGGMF	1.5	1.5	1.5	11P2462SFFWF	2.5	2.5	2.5
								11P2462SGFFF	3.0	3.0	3.0

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
11P2462SGFMF	2.5	2.5	2.5	11P3048SGMF	1.5	1.5	1.5	11P3080SGGFMF	2.5	2.5	2.5
11P2462SGFWF	2.5	2.5	2.5	11P3048SGWF	1.5	1.5	1.5	11P3080SGGFWF	2.5	2.5	2.5
11P2462SGGFF	2.0	2.0	2.0	11P3054SFFF	3.3	3.3	3.3	11P3080SGGGFF	2.0	2.0	2.0
11P2462SGGMF	1.5	1.5	1.5	11P3054SFMF	2.8	2.8	2.8	11P3080SGGGMF	1.5	1.5	1.5
11P2462SGGWF	1.5	1.5	1.5	11P3054SFWF	2.8	2.8	2.8	11P3080SGGGWF	1.5	1.5	1.5
11P2466SFFFF	4.2	4.2	4.2	11P3054SGFF	2.0	2.0	2.0	11P3634SFF	2.0	2.0	2.0
11P2466SFFMF	3.7	3.7	3.7	11P3054SGMF	1.5	1.5	1.5	11P3642SFFF	2.7	2.7	2.7
11P2466SFFWF	3.7	3.7	3.7	11P3054SGWF	1.5	1.5	1.5	11P3642SFMF	2.2	2.2	2.2
11P2466SGFFF	3.0	3.0	3.0	11P3062SFFFF	3.9	3.9	3.9	11P3642SFWF	2.2	2.2	2.2
11P2466SGFMF	3.0	3.0	3.0	11P3062SFFMF	3.0	3.0	3.0	11P3648SFFF	3.0	3.0	3.0
11P2466SGFWF	2.5	2.5	2.5	11P3062SFFWF	2.5	2.5	2.5	11P3648SFMF	2.5	2.5	2.5
11P2466SGGFF	2.0	2.0	2.0	11P3062SGFFF	3.0	3.0	3.0	11P3648SFWF	2.5	2.5	2.5
11P2466SGGMF	1.5	1.5	1.5	11P3062SGGFF	2.5	2.5	2.5	11P3648SGFF	2.0	2.0	2.0
11P2466SGGWF	1.5	1.5	1.5	11P3062SGFMF	2.5	2.5	2.5	11P3648SGMF	1.5	1.5	1.5
11P2480SFFFF	4.2	4.2	4.2	11P3062SGFWF	2.5	2.5	2.5	11P3648SGWF	1.5	1.5	1.5
11P2480SFFMF	3.7	3.7	3.7	11P3062SGGFF	2.0	2.0	2.0	11P3654SFFF	3.3	3.3	3.3
11P2480SFFWF	3.7	3.7	3.7	11P3062SGGMF	1.5	1.5	1.5	11P3654SFMF	2.8	2.8	2.8
11P2480SGFFF	4.2	4.2	4.2	11P3062SGGWF	1.5	1.5	1.5	11P3654SFWF	2.8	2.8	2.8
11P2480SGFMF	3.7	3.7	3.7	11P3066SFFFF	4.2	4.2	4.2	11P3654SGFF	2.0	2.0	2.0
11P2480SGFWF	3.7	3.7	3.7	11P3066SFFMF	3.7	3.7	3.7	11P3654SGMF	1.5	1.5	1.5
11P2480SGGFF	3.0	3.0	3.0	11P3066SFFWF	2.5	2.5	2.5	11P3654SGWF	1.5	1.5	1.5
11P2480SGGMF	2.5	2.5	2.5	11P3066SGFFF	3.7	3.7	3.7	11P3662SFFFF	3.9	3.9	3.9
11P2480SGGWF	2.5	2.5	2.5	11P3066SGFFF	3.0	3.0	3.0	11P3662SFFMF	3.4	3.4	3.4
11P2480SGGGFF	2.0	2.0	2.0	11P3066SGFMF	2.5	2.5	2.5	11P3662SFFWF	3.4	3.4	3.4
11P2480SGGGMF	1.5	1.5	1.5	11P3066SGFWF	2.5	2.5	2.5	11P3662SGFFF	3.0	3.0	3.0
11P2480SGGGWF	1.5	1.5	1.5	11P3066SGGFF	2.0	2.0	2.0	11P3662SGFMF	2.5	2.5	2.5
11P3034SFF	2.0	2.0	2.0	11P3066SGGMF	1.5	1.5	1.5	11P3662SGFWF	2.5	2.5	2.5
11P3042SFFF	2.7	2.7	2.7	11P3066SGGWF	1.5	1.5	1.5	11P3662SGGFF	2.0	2.0	2.0
11P3042SFMF	2.2	2.2	2.2	11P3080SFFFF	4.2	4.2	4.2	11P3662SGGMF	1.5	1.5	1.5
11P3042SFWF	2.2	2.2	2.2	11P3080SFFMF	3.7	3.7	3.7	11P3662SGGWF	1.5	1.5	1.5
11P3048SFFF	3.0	3.0	3.0	11P3080SFFWF	3.7	3.7	3.7	11P3666SFFFF	4.2	4.2	4.2
11P3048SFMF	2.5	2.5	2.5	11P3080SGFFF	4.2	4.2	4.2	11P3666SFFMF	3.7	3.7	3.7
11P3048SFWF	2.5	2.5	2.5	11P3080SGFMF	3.7	3.7	3.7	11P3666SFFWF	3.7	3.7	3.7
11P3048SGFF	2.0	2.0	2.0	11P3080SGFFWF	3.7	3.7	3.7	11P3666SGFFF	3.0	3.0	3.0
				11P3080SGGFFF	3.0	3.0	3.0	11P3666SGFMF	2.5	2.5	2.5

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
11P3666SGFWF	2.5	2.5	2.5	11P4262SFFWF	3.4	3.4	3.4	11P4848SFMMF	3.0	3.0	3.0
11P3666SGGFF	2.0	2.0	2.0	11P4262SGFFF	3.0	3.0	3.0	11P4848SFWF	3.0	3.0	3.0
11P3666SGGMF	1.5	1.5	1.5	11P4262SGFMF	2.5	2.5	2.5	11P4848SGFF	2.0	2.0	2.0
11P3666SGGWF	1.5	1.5	1.5	11P4262SGFWF	2.5	2.5	2.5	11P4848SGGMF	1.5	1.5	1.5
11P3680SFFFFF	5.1	5.1	5.1	11P4262SGGFF	2.0	2.0	2.0	11P4848SGWF	1.5	1.5	1.5
11P3680SFFFFF	4.2	4.2	4.2	11P4262SGGMF	1.5	1.5	1.5	11P4854SFFF	3.3	3.3	3.3
11P3680SFFFFMF	4.6	4.6	4.6	11P4262SGGWF	1.5	1.5	1.5	11P4854SFMMF	2.8	2.8	2.8
11P3680SFFFFWF	4.6	4.6	4.6	11P4266SFFFF	4.2	4.2	4.2	11P4854SFWF	2.8	2.8	2.8
11P3680SGFFFF	4.2	4.2	4.2	11P4266SFFMF	3.7	3.7	3.7	11P4854SGFF	2.0	2.0	2.0
11P3680SGFFMF	3.7	3.7	3.7	11P4266SFFMF	4.2	4.2	4.2	11P4854SGMF	1.5	1.5	1.5
11P3680SGFFWF	3.7	3.7	3.7	11P4266SFFWF	3.7	3.7	3.7	11P4854SGWF	1.5	1.5	1.5
11P3680SGGFFF	3.0	3.0	3.0	11P4266SGFFF	3.0	3.0	3.0	11P4862SFFFF	3.9	3.9	3.9
11P3680SGGMF	2.5	2.5	2.5	11P4266SGFMF	2.5	2.5	2.5	11P4862SFFMF	3.4	3.4	3.4
11P3680SGGWF	2.5	2.5	2.5	11P4266SGFWF	2.5	2.5	2.5	11P4862SFFWF	3.4	3.4	3.4
11P3680SGGGFF	2.0	2.0	2.0	11P4266SGGFF	2.0	2.0	2.0	11P4862SGFFF	3.0	3.0	3.0
11P3680SGGGMF	1.5	1.5	1.5	11P4266SGGMF	1.5	1.5	1.5	11P4862SGFMF	2.5	2.5	2.5
11P3680SGGGWF	1.5	1.5	1.5	11P4266SGGWF	1.5	1.5	1.5	11P4862SGFWF	2.5	2.5	2.5
11P4234SFF	2.0	2.0	2.0	11P4280SFFFFF	5.1	5.1	5.1	11P4862SGGFF	2.0	2.0	2.0
11P4242SFFF	2.7	2.7	2.7	11P4280SFFFFMF	4.6	4.6	4.6	11P4862SGGMF	1.5	1.5	1.5
11P4242SFMMF	2.2	2.2	2.2	11P4280SFFFFWF	3.7	3.7	3.7	11P4862SGGWF	1.5	1.5	1.5
11P4242SFWF	2.2	2.2	2.2	11P4280SGFFFF	4.2	4.2	4.2	11P4866SFFFF	4.2	4.2	4.2
11P4248SFFF	3.0	3.0	3.0	11P4280SGFFMF	3.7	3.7	3.7	11P4866SFFMF	3.7	3.7	3.7
11P4248SFMMF	2.5	2.5	2.5	11P4280SGFFWF	3.7	3.7	3.7	11P4866SFFWF	3.7	3.7	3.7
11P4248SFWF	2.5	2.5	2.5	11P4280SGGFFF	3.0	3.0	3.0	11P4866SGFFF	3.0	3.0	3.0
11P4248SGFF	2.0	2.0	2.0	11P4280SGGMF	2.5	2.5	2.5	11P4866SGFMF	2.5	2.5	2.5
11P4248SGMF	1.5	1.5	1.5	11P4280SGGFWF	2.5	2.5	2.5	11P4866SGFWF	2.5	2.5	2.5
11P4248SGWF	1.5	1.5	1.5	11P4280SGGGFF	2.0	2.0	2.0	11P4866SGGFF	2.0	2.0	2.0
11P4254SFFF	3.3	3.3	3.3	11P4280SGGGMF	1.5	1.5	1.5	11P4866SGGWF	2.5	2.5	2.5
11P4254SFMMF	2.8	2.8	2.8	11P4280SGGGWF	1.5	1.5	1.5	11P4866SGGMF	1.5	1.5	1.5
11P4254SFWF	2.8	2.8	2.8	11P4834SFF	2.0	2.0	2.0	11P4866SGGWF	1.5	1.5	1.5
11P4254SGFF	2.0	2.0	2.0	11P4842SFFF	2.7	2.7	2.7	11P4880SFFFFF	5.1	5.1	5.1
11P4254SGMF	1.5	1.5	1.5	11P4842SFMMF	2.2	2.2	2.2	11P4880SFFFFMF	4.6	4.6	4.6
11P4254SGWF	1.5	1.5	1.5	11P4842SFWF	2.2	2.2	2.2	11P4880SFFFFWF	4.6	4.6	4.6
11P4262SFFFF	3.9	3.9	3.9	11P4848SFFF	3.0	3.0	3.0	11P4880SGFFFF	4.2	4.2	4.2
11P4262SFFMF	3.4	3.4	3.4	11P4848SFMMF	2.5	2.5	2.5	11P4880SGFFMF	3.7	3.7	3.7

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>	<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
11P4880SGFFWF	3.7	3.7	3.7	10P62CNT	1.8	1.8	0.2	10P18CNHLL	0.6	0.6	0.2
11P4880SGGFFF	3.0	3.0	3.0	10P66CNT	1.9	1.9	0.2	10P20CNHLL	0.6	0.6	0.2
11P4880SGGFMF	2.5	2.5	2.5	10P80CNT	2.3	2.3	2.3	10P24CNHLL	0.8	0.8	0.2
11P4880SGGFWF	2.5	2.5	2.5	10P34CNL	1.0	1.0	0.2	10P26CNHLL	0.8	0.8	0.2
11P4880SGGGFF	2.0	2.0	2.0	10P42CNL	1.3	1.3	0.2	10P28CNHLL	0.9	0.9	0.2
11P4880SGGGMF	1.5	1.5	1.5	10P48CNL	1.4	1.4	0.2	10P32CNHLL	1.0	1.0	0.4
11P4880SGGGWF	1.5	1.5	1.5	10P54CNL	1.6	1.6	0.2	10P38CNHLL	1.1	1.1	0.4
<b>Stackable Panels</b>				10P62CNL	1.8	1.8	0.2	10P46CNHLL	1.4	1.4	0.4
11P1812SF	0.9	0.9	0.9	10P66CNL	1.9	1.9	0.2	11P4CNHTP	0.2	0.2	0.2
11P1814SF	1.0	1.0	1.0	10P80CNL	2.3	2.3	2.3	11P6CNHTP	0.2	0.2	0.2
11P1818SF	1.2	1.2	1.2	10P34CNV	1.0	1.0	0.2	11P8CNHTP	0.2	0.2	0.2
11P2412SF	0.9	0.9	0.9	10P42CNV	1.3	1.3	0.2	11P12CNHTP	0.2	0.2	0.2
11P2414SF	1.0	1.0	1.0	10P48CNV	1.4	1.4	0.2	11P14CNHTP	0.2	0.2	0.2
11P2418SF	1.2	1.2	1.2	10P54CNV	1.6	1.6	0.2	11P18CNHTP	0.2	0.2	0.2
11P3012SF	0.9	0.9	0.9	10P62CNV	1.8	1.8	0.2	11P20CNHTP	0.2	0.2	0.2
11P3014SF	1.0	1.0	1.0	10P66CNV	1.9	1.9	0.2	11P24CNHTP	0.2	0.2	0.2
11P3018SF	1.2	1.2	1.2	10P80CNV	2.3	2.3	2.3	11P26CNHTP	0.2	0.2	0.2
11P3612SF	0.9	0.9	0.9	10P4CNHL	0.2	0.2	0.2	11P28CNHTP	0.2	0.2	0.2
11P3614SF	1.0	1.0	1.0	10P6CNHL	0.3	0.3	0.2	11P32CNHTP	0.2	0.2	0.2
11P3618SF	1.2	1.2	1.2	10P8CNHL	0.3	0.3	0.2	11P38CNHTP	0.2	0.2	0.2
11P4212SF	0.9	0.9	0.9	10P12CNHL	0.4	0.4	0.2	11P46CNHTP	0.2	0.2	0.2
11P4214SF	1.0	1.0	1.0	10P14CNHL	0.5	0.5	0.2	<b>Traxx and Tiles</b>			
11P4218SF	1.2	1.2	1.2	10P18CNHL	0.6	0.6	0.2	<b>Tiles Compatible with Cetra</b>			
11P4812SF	0.9	0.9	0.9	10P20CNHL	0.6	0.6	0.2	FIT1237A	1.2	1.2	0.7
11P4814SF	1.0	1.0	1.0	10P24CNHL	0.8	0.8	0.2	FIT1837A	1.2	1.2	0.9
11P4818SF	1.2	1.2	1.2	10P26CNHL	0.8	0.8	0.2	FIT2437A	1.2	1.2	1.0
11P6012SF	0.9	0.9	0.9	10P28CNHL	0.9	0.9	0.2	FIT3037A	1.2	1.2	1.2
11P6014SF	1.0	1.0	1.0	10P32CNHL	1.0	1.0	0.2	FIT3637A	1.2	1.2	1.2
11P6018SF	1.2	1.2	1.2	10P38CNHL	1.1	1.1	0.2	FIT4237A	1.2	1.2	1.2
<b>Finish Channels</b>				10P46CNHL	1.4	1.4	0.2	FIT4837A	1.2	1.2	1.2
10P34CNT	1.0	1.0	0.2	10P4CNHLL	0.2	0.2	0.2	FIT5437A	1.2	N.A.	1.2
10P42CNT	1.3	1.3	0.2	10P6CNHLL	0.3	0.3	0.2	FIT6037A	2.4	N.A.	1.6
10P48CNT	1.4	1.4	0.2	10P8CNHLL	0.3	0.3	0.2	FIT2437SS16N	0.8	0.8	0.8
10P54CNT	1.6	1.6	0.2	10P12CNHLL	0.4	0.4	0.2				
				10P14CNHLL	0.5	0.5	0.2				

# Finishes & Materials

## COM Yardage Requirements, continued

Model	66"W Directional	54"W Directional	66"W Non-Dir.
FIT2437SS16P	0.8	0.8	0.8
FIT2437SS24N	0.6	0.6	0.6
FIT2437SS24P	0.6	0.6	0.6
FIT3037SS16N	0.8	0.8	0.8
FIT3037SS16P	0.8	0.8	0.8
FIT3037SS24N	0.6	0.6	0.6
FIT3037SS24P	0.6	0.6	0.6
FIT3637SS16N	0.8	0.8	0.8
FIT3637SS16P	0.8	0.8	0.8
FIT3637SS24N	0.6	0.6	0.6
FIT3637SS24P	0.6	0.6	0.6
FIT4237SS16N	0.8	0.8	0.8
FIT4237SS16P	0.8	0.8	0.8
FIT4237SS24N	0.6	0.6	0.6
FIT4237SS24P	0.6	0.6	0.6
FIT4837SS16N	0.8	0.8	0.8
FIT4837SS16P	0.8	0.8	0.8
FIT4837SS24N	0.6	0.6	0.6
FIT4837SS24P	0.6	0.6	0.6

### Tiles Compatible with Interworks EQ

HIT1236A	1.2	1.2	0.7
HIT1836A	1.2	1.2	0.9
HIT2436A	1.2	1.2	1.0
HIT3036A	1.2	1.2	1.2
HIT3636A	1.2	1.2	1.2
HIT4236A	1.2	1.2	1.2
HIT4836A	1.2	1.2	1.2
HIT5436A	1.2	N.A.	1.2
HIT6036A	2.4	N.A.	1.6
HIT2436SS16	0.8	0.8	0.8
HIT3036SS16	0.8	0.8	0.8
HIT3636SS16	0.8	0.8	0.8
HIT4236SS16	0.8	0.8	0.8
HIT4836SS16	0.8	0.8	0.8
HIT2436SS24	0.6	0.6	0.6

Model	66"W Directional	54"W Directional	66"W Non-Dir.
HIT3036SS24	0.6	0.6	0.6
HIT3636SS24	0.6	0.6	0.6
HIT4236SS24	0.6	0.6	0.6
HIT4836SS24	0.6	0.6	0.6

### Tiles Compatible with Conferencing Solutions

FIT1249A	1.6	1.6	0.7
FIT1849A	1.6	1.6	0.9
FIT2449A	1.6	1.6	1.0
FIT3049A	1.6	1.6	1.2
FIT3649A	1.6	1.6	1.2
FIT4249A	1.6	1.6	1.2
FIT4849A	1.6	1.6	1.2
FIT5449A	1.6	N.A.	1.2
FIT6049A	3.2	N.A.	1.6

### Footprint Worksurfaces and Support

#### Decorative Leg Inserts

IB1427DIF	1.0	1.0	0.5
-----------	-----	-----	-----

Model	66"W Directional	54"W Directional	66"W Non-Dir.
-------	---------------------	---------------------	------------------

### Footprint Storage

#### Flat Profile Mobile Pedestal with Cushion Top\*

12S2415PMBFCTM	1.0	1.0	1.0
----------------	-----	-----	-----

\*The requirement for a single pedestal is one yard. However, two cushion-tops can be cut from a single yard. For example, 51 tops would require 26 yards. Always round up to the next full yard when ordering multiple pedestals.

#### Bevel Profile Overheads with Fabric Door

IS142416R	0.6	0.6	0.6
IS143016R	0.6	0.6	0.6
IS143616R	0.6	0.6	0.6
IS144216R	0.6	0.6	0.6
IS144816R	0.6	0.6	0.6
IS145416R	1.2	1.2	1.2
IS146016R	1.2	1.2	1.2
IS147216R	1.2	1.2	1.2

#### Bevel Profile Highback Organizers

IF4836H	0.6	0.6	0.6
IF6036H	1.2	1.2	1.2
IF7236H	1.2	1.2	1.2

# Finishes & Materials

## COM Yardage Requirements, continued

<i>Model</i>	<i>66"W Directional</i>	<i>54"W Directional</i>	<i>66"W Non-Dir.</i>
--------------	-----------------------------	-----------------------------	--------------------------

### Accessories

#### Tackboards for Square and Radius

##### Profile Highbacks

FHT4820	0.9	0.9	0.9
FHT6020	0.9	N.A.	0.9
FHT7220	2.4	N.A.	2.4

#### Tackboards for Bevel Profile Highback

IF4821T	0.8	0.8	0.8
IF6021T	2.0	2.0*	2.0
IF7221T	2.3*	2.3*	2.3*

\* Fabric is applied "railroaded."

#### Cetra Panel-Mounted Tackboards

ATB3013	1.0	1.0	1.0
ATB3613	1.0	1.0	1.0
ATB4213	1.0	1.0	1.0
ATB4813	1.0	1.0	1.0
ATB3030	1.0	1.0	1.0
ATB3630	1.0	1.0	1.0
ATB4236	1.0	1.0	1.0
ATB4836	1.0	1.0	1.0

#### Interworks EQ Panel-Mounted Tackboards

10A1530TB	0.6	0.6	0.6
10A1536TB	0.6	0.6	0.6
10A1542TB	0.6	0.6	0.6
10A1548TB	0.6	0.6	0.6
10A1560TB	0.6	2.0*	0.6
10A1930TB	0.7	0.7	0.7
10A1936TB	0.7	0.7	0.7
10A1942TB	0.7	0.7	0.7
10A1948TB	0.7	0.7	0.7
10A1960TB	0.7	2.0*	0.7

\* Fabric is applied "railroaded."